JOURNAL OF VASCULAR SURGERY

Copyright © 2000 by The Society for Vascular Surgery and International Society for Cardiovascular Surgery, North American Chapter

EDITOR–IN–CHIEF
K. Wayne Johnston, Toronto

SENIOR EDITOR
Robert B. **Rutherford,** Colorado

ASSOCIATE EDITORS
Jack L. Cronenwett, Lebanon, NH
Norman R. Hertzer, Cleveland
John M. Porter, Portland (Book Reviews)

EDITORIAL BOARD

Joseph P. Archie, Jr, Raleigh, NC
J. Dennis Baker, Los Angeles
John Blebea, Hershey, PA
David C. Brewster, Boston
Richard P. Cambria, Boston
Elliot L. Chaikof, Atlanta
Magruder C. Donaldson, Boston
Mark F. Fillinger, Lebanon, NH
Bruce L. Gewertz, Chicago
Peter Gloviczki, Rochester, MN
Michael A. Golden, Philadelphia
Howard P. Greisler, Maywood, IL
John W. Hallett, Jr, Rochester, MN
K. Craig Kent, New York
Ted R. Kohler, Seattle
Peter F. Lawrence, Irvine, CA
James O. **Menzoian,** Boston
Joseph L. **Mills, Sr,** Tucson
Gregory L. **Moneta,** Portland
Thomas F. O'**Donnell, Jr,** Boston
Kenneth **Ouriel,** Cleveland
Frank T. **Padberg,** Newark, NJ
Bruce A. **Perler,** Baltimore
W. J. **Quinones-Baldrich,** Los Angeles
John J. **Ricotta,** Stony Brook, NY
James M. **Seeger,** Gainesville, FL
Anton N. **Sidawy,** Washington, DC
Bauer E. **Sumpio,** New Haven, CT
Lloyd M. **Taylor, Jr,** Portland
Frank J. **Veith,** New York
Thomas W. **Wakefield,** Ann Arbor
Rodney A. **White,** Torrance, CA

FOUNDING EDITOR
Michael E. DeBakey

EDITORS EMERITUS
Calvin B. Ernst
James C. Stanley
D. Emerick Szilagyi
Jesse E. Thompson

Official Publication
The Society for Vascular Surgery
International Society for Cardiovascular Surgery
North American Chapter

Volume 31 2000
MOSBY, INC
St Louis, Missouri

VOLUME 31

Copyright © 2000 by
The Society for Vascular Surgery
and
North American Chapter, International Society for
Cardiovascular Surgery

All rights reserved

Printed in the United States of America

Index to Volume 31

*Author index**

A

Abbott WM (*see* Green et al). 2000;31:417-25

Abbott WM (*see* Rehring et al). 2000;31:1135-41

Abou-Zamzam AM Jr, Moneta GL, Edwards JM, Yeager RA, Taylor LM Jr, Porter JM. Is a single preoperative duplex scan sufficient for planning bilateral carotid endarterectomy?. 2000;31:282-8

Absood A (*see* van Aalst et al). 2000;31:171-80

Adam DJ, Lee AJ, Ruckley CV, Bradbury AW, Ross JA. Elevated levels of soluble tumor necrosis factor receptors are associated with increased mortality rates in patients who undergo operation for ruptured abdominal aortic aneurysm. 2000;31:514-19

Adams HP (*see* Kresowik et al). 2000;31:918-26

Adili F (*see* Heckenkamp et al). 2000;31:1168-77

Adisheshiah M (*see* Singh-Ranger et al). 2000;31:490-500

Agustí E (*see* Rigol et al). 2000;31:1018-25

Akbari CM, Pulling MC, Pomposelli FB Jr., Gibbons GW, Campbell DR, LoGerfo FW. Gender and carotid endarterectomy: does it matter?. 2000;31:1103-9

Akbari CM (*see* Faries et al). 2000;31:50-9, 1119-27

Alameddine AK, Riester WH. Lengthening the greater saphenous vein with the use of the lateral femoral cutaneous vein. 2000;31:819-20 (Tech. note)

Albäck NA (*see* Ihlberg et al). 2000;31:794-7 (Case rep.)

Albertini JN, Barral X, Branchereau A, Favre JP, Guidicelli H, Magne JL, Magnan PE. Long-term results of arterial allograft below-knee bypass grafts for limb salvage: a retrospective multicenter study. 2000;31:426-35

Albertini JN (*see* Kalliafas et al). 2000;31:1185-92

Albertini JN (*see* Rosset et al). 2000;31:713-23

Allen BT (*see* Curci et al). 2000;31:325-42

Anagnostopoulos PV (*see* Pipinos et al). 2000;31:944-52

Ando M, Okita Y, Tagusari O, Kitamura S, Matsuo H. A surgically treated case of Takayasu's arteritis complicated by aortic dissections localized in the ascending and abdominal aortae. 2000;31:1042-5

Archie JP Jr. A fifteen-year experience with carotid endarterectomy after a formal operative protocol requiring highly frequent patch angioplasty. 2000;31:724-35

Arora S (*see* Faries et al). 2000;31:50-9, 1119-27

Arous EJ, Nelson PR, Yood SM, Kelly JJ, Sandor A, Litwin DEM. Hand-assisted laparoscopic aortobifemoral bypass grafting. 2000;31:1142-8

Arous EJ (*see* Rosenthal et al). 2000;31:60-8

Ascher E, Gade P, Hingorani A, Mazzariol F, Gunduz Y, Fodera M, Yorkovich W. Changes in the practice of angioaccess surgery: impact of dialysis outcome and quality initiative recommendations. 2000;31:84-92

Ashrafi A (*see* Treiman et al). 2000;31:1110-8

Atamian S (*see* Cambria et al). 2000;31:1093-1102

Aulich A (*see* Müller et al). 2000;31:980-8

Azizzadeh A, Huynh TTT, Miller CC III, Safi HJ. Reversal of twice-delayed neurologic deficits with cerebrospinal fluid drainage after thoracoabdominal aneurysm repair: a case report and plea for a national database collection. 2000;31:592-8 (Case rep.)

B

Back MR (*see* Johnson et al). 2000;31:678-90

Baker WH (*see* Kang et al). 2000;31:289-98

Baker WH (*see* LaMuraglia et al). 2000;31:299-308

Ballard JL (*see* Sakopoulos et al). 2000;31:200-2 (Tech. note)

Bandyk DF. Regarding "A rational algorithm for duplex scan surveillance after carotid endarterectomy." 2000;31:838-9 (Letter reply)

Bandyk DF (*see* Johnson et al). 2000;31:678-90

Barbera L, Geier B, Kemen M, Mumme A. Regarding "Laparoscopic aortofemoral bypass grafting: human cadaveric and initial clinical experiences." 2000;31:412-14 (Letter)

Barral X (*see* Albertini et al). 2000;31:426-35

Bassiouny HS (*see* Meyerson et al). 2000;31:910-17

Baubly MP (*see* Kang et al). 2000;31:289-98

Baur S (*see* Steinacker et al). 2000;31:443-9

Beall A (*see* Knoepp et al). 2000;31:343-53

Belcaro G (*see* Sabetai et al). 2000;31:39-49

Belkin M (*see* Upchurch et al). 2000;31:1128-34

Bell PRF (*see* Naylor and Bell). 2000;31:622-4 (Letter reply)

Bendick PJ (*see* Boyer et al). 2000;31:181-9

Berends FJ (*see* Wisselink et al). 2000;31:1240-4 (Case rep.)

Bergqvist D (*see* Hellberg et al). 2000;31:164-70

Bergqvist D (*see* Holmberg et al). 2000;31:691-5

Berguer R, Flynn LM, Kline RA, Caplan L. Surgical reconstruction of the extracranial vertebral artery: management and outcome. 2000;31:9-18

Bernard EO, Schmid ER, Lachat ML, Germann RC. Nitroglycerin to control blood pressure during endovascular stent-grafting of descending thoracic aortic aneurysms. 2000;31:790-3 (Case rep.)

Berthelsen B (*see* Zachrisson et al). 2000;31:477-83

Berwanger CS (*see* Hafez et al). 2000;31:520-31, 742-50

Bettmann M (*see* Powell et al). 2000;31:1178-84

Beven EG (*see* Martin et al). 2000;31:851-62

Bhargava J (*see* Di Luozzo et al). 2000;31:781-9

Billiar TR (*see* Kibbe et al). 2000;31:364-74, 1214-28

Birkmeyer MD (*see* Schermerhorn et al). 2000;31:217-26

Blomstrand C (*see* Zachrisson et al). 2000;31:477-83

Bohner DG (*see* Curci et al). 2000;31:325-42

Bolkart K (*see* Steinacker et al). 2000;31:443-9

Boska MD (*see* Pipinos et al). 2000;31:944-52

Bower TC, Nagorney DM, Cherry KJ Jr, Toomey BJ, Hallett JW, Panneton JM, Gloviczki P. Replacement of the inferior vena cava for malignancy: an update. 2000;31:270-81

Bower TC. (*see* Rhodes et al). 2000;31:260-9

Boyer M, Townsend LE, Vogel M, Falk J, Reitz-Vick D, Trevor KT, Villalba M, Bendick PJ, Gover JL. Isolation of endothelial cells and their progenitor cells from human peripheral blood. 2000;31:181-9

Bradbury AW (*see* Adam et al). 2000;31:514-19

Bradbury AW (*see* Wilson et al). 2000;31:507-13

Brady SE (*see* Furukawa et al). 2000;31:558-66

Branchereau A (*see* Albertini et al). 2000;31:426-35

Branchereau A (*see* Rosset et al). 2000;31:713-23

Bredenberg CE. "These united colonies are . . ." 2000;31:1085-92

*January, pp. 1-206; February, pp. 207-416; March, pp. 417-630; April, pp. 631-844 , May, pp. 845-1084; June, pp. 1085-1344.

Brenton M (*see* Kresowik et al). 2000;31:918-26
Brevetti LS (*see* Furukawa et al). 2000;31:558-66
Brewster DC (*see* Cambria et al). 2000;31:1093-1102
Brewster DC (*see* Rehring et al). 2000;31:1135-41
Brittenden J. Regarding "The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta." 2000;31:1078 (Letter reply)
Brophy CM. The dynamic regulation of blood vessel caliper. 2000;31:391-5
Brophy CM (*see* Knoepp et al). 2000;31:343-53
Brown SL (*see* Wakefield et al). 2000;31:309-24
Brunkwall J (*see* Greenberg et al). 2000;31:147-56
Brunkwall P (*see* Greenberg et al). 2000;31:147-56
Burgess WH (*see* Shireman et al). 2000;31:382-90
Buth J, Laheij RJF, EUROSTAR Collaborators. Early complications and endoleaks after endovascular abdominal aortic aneurysm repair: report of a multicenter study. 2000;31:134-46

C

Cahill M (*see* d'Othée et al). 2000;31:190-5 (Case rep.)
Caldwell MP (*see* Lee et al). 2000;31:889-94
Calligaro KD. Regarding "In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998)." 2000;31:837-8 (Letter)
Calligaro KD, Veith FJ, Valladares JA, McKay J, Schindler N, Dougherty MJ. Prosthetic patch remnants to treat infected arterial grafts. 2000;31:245-52
Calligaro KD (*see* Clagett et al). 2000;31:1060-5
Cambria RP, Davison JK, Carter C, Brewster DC, Chang Y, Clark KA, Atamian S. Epidural cooling for spinal cord protection during thoracoabdominal aneurysm repair: a 5-year experience. 2000;31:1093-1102
Cambria RP (*see* Rehring et al). 2000;31:1135-41
Campbell DR (*see* Akbari et al). 2000;31:1103-9
Campbell DR (see Faries et al). 2000;31:50-9, 1119-27
Canto CJ (*see* Chuter et al). 2000;31:122-33
Cao P, Giordano G, De Rango P, Zannetti S, Chiesa R, Coppi G, Palombo D, Peinetti F, Spartera C, Stancanelli V, Vecchiati E, Collaborators of the EVEREST Study Group. Eversion versus conventional carotid endarterectomy: late results of a prospective multicenter randomized trial. 2000;31:19-30
Capannini G (*see* Neri et al). 2000;31:1052-5
Caplan L (*see* Berguer et al). 2000;31:9-18
Carone E (*see* Neri et al). 2000;31:1052-5
Carpenter JP (*see* Johnson et al). 2000;31:994-1002
Carroll RC (*see* Rowe et al). 2000;31:567-76
Carter C (*see* Cambria et al). 2000;31:1093-1102
Cavallaro A (*see* De Toma et al). 2000;31:806-10 (Case rep.)
Cavallaro G (*see* De Toma et al). 2000;31:806-10 (Case rep.)
Cérène A (*see* d'Othée et al). 2000;31:190-5 (Case rep.)
Chang BB (*see* Kreienberg et al). 2000;31:696-701
Chalmers RTA (*see* Parfitt et al). 2000;31:1248-51 (Case rep.)
Chang BB (*see* Paty et al). 2000;31:253-9
Chang Y (*see* Cambria et al). 2000;31:1093-1102
Chen C, Lumsden AB, Hanson SR. Local infusion of heparin reduces anastomotic neointimal hyperplasia in aortoiliac expanded polytetrafluoroethylene bypass grafts in baboons. 2000;31:354-63
Chen E (*see* Willis et al). 2000;31:1160-7
Cherry KJ Jr (*see* Bower et al). 2000;31:270-81
Cherry KJ Jr (*see* Rhodes et al). 2000;31:260-9
Chiesa R (*see* Cao et al). 2000;31:19-30
Cho JS (*see* Rhodes et al). 2000;31:1193-1204
Christiansson L (*see* Hellberg et al). 2000;31:164-70
Chuter TAM, Reilly LM, Faruqi RM, Kerlan RB, Sawhney R, Canto CJ, LaBerge JM, Wilson MW, Gordon RL, Wall SD, Rapp J, Messina LM. Endovascular aneurysm repair in high-risk patients. 2000;31:122-33
Ciervo A, Dardik H, Qin F, Silvestri F, Wolodiger F, Hastings B, Lee S, Pangilinan A, Wengerter K. The tourniquet revisited as an adjunct to lower limb revascularization. 2000;31:436-42
Cipolla MJ, Williamson WK, Nehler ML, Taylor LM Jr, Porter JM. The effect of elevated homocysteine levels on adrenergic vasoconstriction of human resistance arteries: the role of the endothelium and reactive oxygen species. 2000;31:751-9
Clagett GP, Calligaro KD, Freischlag J, LoGerfo F, Steele GD Jr, Towne JB, Whittemore AD, Ritchie WP Jr. The Vascular Surgery Sub-board: progress report. 2000;31:1060-5
Clair D (*see* Kasirajan et al). 2000;31:196-9 (Case rep.)
Clair DG (*see* Martin et al). 2000;31:851-62
Clair DG (*see* Ouriel et al). 2000;31:895-900
Clark KA (*see* Cambria et al). 2000;31:1093-1102
Clark RC (*see* Rhodes et al). 2000;31:260-9
Coggia M, Goëau-Brissonnière O, Duval JL, Leschi JP, Letort M, Nagel MD. Embolic risk of the different stages of carotid bifurcation balloon angioplasty: an experimental study. 2000;31:550-7
Coggia M (*see* Goëau-Brissonnière et al). 2000;31:157-63
Coleridge-Smith PD (*see* Shoab et al). 2000;31:456-61
Comerota AJ (*see* Rutherford et al). 2000;31:1307-12
Conte MS (*see* Eslami et al). 2000;31:1149-59
Conte MS (*see* Upchurch et al). 2000;31:1128-34
Cooley DA (*see* El-Sabrout and Cooley). 2000;31:702-12
Coppi G (*see* Cao et al). 2000;31:19-30
Corte DC (*see* Singh-Ranger et al). 2000;31:490-500
Couch GG, Johnston KW, Ojha M. An in vitro comparison of the hemodynamics of two inferior vena cava filters. 2000;31:539-49
Cronenwett JL (*see* Powell et al). 2000;31:1178-1184
Cronenwett JL (*see* Schermerhorn et al). 2000;31:217-26
Cuesta MA (*see* Wisselink et al). 2000;31:1240-4 (Case rep.)
Curci JA, Mao D, Bohner DG, Allen BT, Rubin BG, Reilly JM, Sicard GA, Thompson RW. Preoperative treatment with doxycycline reduces aortic wall expression and activation of matrix metalloproteinases in patients with abdominal aortic aneurysms. 2000;31:325-42

D

Dardik H (*see* Ciervo et al). 2000;31:436-42
Darling RC III (*see* Kreienberg et al). 2000;31:696-701
Darling RC III (*see* Paty et al). 2000;31:253-9
Davies AH (*see* Smith et al). 2000;31:642-9
Davison JK (*see* Cambria et al). 2000;31:1093-1102
De Leersnijder J (*see* Vanhoenacker et al). 2000;31:621-2 (Letter)
De Rango P (*see* Cao et al). 2000;31:19-30
De Schepper AM (*see* Vanhoenacker et al). 2000;31:621-2 (Letter)
De Toma G, Nicolanti V, Plocco M, Cavallaro G, Letizia C, Piccirillo G, Cavallaro A. Baroreflex failure syndrome after bilateral excision of carotid body tumors: an underestimated problem. 2000;31:806-10 (Case rep.)
DeFouw DO (*see* Kissin et al). 2000;31:69-83
Del Campo C. Regarding "In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava." 2000;31:624-6 (Letter)
Delis K (*see* Hafez et al). 2000;31:520-31
Delis KT, Nicolaides AN, Wolfe JHN, Stansby G. Improving

walking ability and ankle brachial pressure indices in symptomatic peripheral vascular disease with intermittent pneumatic foot compression: a prospective controlled study with one-year follow-up. 2000;31:650-61
Dhanjil S (*see* Sabetai et al). 2000;31:39-49
Di Luozzo G, Bhargava J, Powell RJ. Vascular smooth muscle cell effect on endothelial cell endothelin-1 production. 2000;31:781-9
Diciolla F (*see* Neri et al). 2000;31:1052-5
Dickinson M (*see* Knoepp et al). 2000;31:343-53
Diedrich DA (*see* Santilli et al). 2000;31:450-5
Dimakakos PB, Kotsis T. Regarding "Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips." 2000;31:626-7 (Letter)
Diwan A, Sarkar R, Stanley JC, Zelenock GB, Wakefield TW. Incidence of femoral and popliteal artery aneurysms in patients with abdominal aortic aneurysms. 2000;31:863-9
Docampo MM (*see* Escribano Ferrer et al). 2000;31:736-41
Dolmatch B (*see* Kasirajan et al). 2000;31:196-9 (Case rep.)
Donaldson MC (*see* Upchurch et al). 2000;31:1128-34
Donnell R (*see* Rowe et al). 2000;31:567-76
d'Othée BJ, Soula P, Otal P, Cahill M, Joffre F, Cérène A, Rousseau H. Aortoduodenal fistula after endovascular stent-graft of an abdominal aortic aneurysm. 2000;31:190-5 (Case rep.)
Dougherty MJ (*see* Calligaro et al). 2000;31:245-52
Droste JS (*see* Schneider et al). 2000;31:927-35
Dunnington GL (*see* McLafferty et al). 2000;31:870-9
Durán WN (*see* Hanna et al). 2000;31:770-80
Durán WN (*see* Kissin et al). 2000;31:69-83
Duval JL (*see* Coggia et al). 2000;31:550-7

E

Ede B (*see* Rosset et al). 2000;31:713-23
Edwards JM (*see* Abou-Zamzam et al). 2000;31:282-8
Edwards JM (*see* Ferris et al). 2000;31:104-13
Eifert S, Vallavicencio L, Kao TC, Taute MB, Rich NM. Prevalence of deep venous anomalies in congenital vascular malformations of venous predominance. 2000;31:462-71
El-Atrozy TS (*see* Sabetai et al). 2000;31:39-49
El-Sabrout R, Cooley DA. Extracranial carotid artery aneurysms: Texas Heart Institute experience. 2000;31:702-12
Ellerbeck EF (*see* Kresowik et al). 2000;31:918-26
Erdoes LS. Regarding "Spontaneous popliteal artery dissection: a case report and review of the literature." 2000;31:414 (Letter)
Escribano Ferrer JM, Samsó JJ, Serrando JR, Valenzuela VF, Montoya SB, Docampo MM. Use of ultrasound contrast in the diagnosis of carotid artery occlusion. 2000;31:736-41
Eslami MH, Gangadharan SP, Sui XX, Rhynhart KK, Snyder RO, Conte MS. Gene delivery to in situ veins: differential effects of adenovirus and adeno-associated viral vectors. 2000;31:1149-59
Estes JM (*see* Roddy et al). 2000;31:227-36
EUROSTAR Collaborators (*see* Buth et al). 2000;31:134-46
EVEREST Study Group Collaborators (*see* Cao et al). 2000;31:19-30

F

Fabre O (*see* Vasseur and Fabre). 2000;31:532-8
Falk J (*see* Boyer et al). 2000;31:181-9
Fan CM (*see* Rehring et al). 2000;31:1135-41
Farah E (*see* Samain et al). 2000;31:971-9
Faries PL, Arora S, Pomposelli FB Jr, Pulling MC, Smakowski P, Rohan DI, Gibbons GW, Akbari CM, Campbell DR, LoGerfo FW. The use of arm vein in lower-extremity revascularization: results of 520 procedures performed in eight years. 2000;31:50-9
Faries PL, LoGerfo FW, Arora S, Pulling MC, Rohan DI, Akbari CM, Campbell DR, Hamdan AD, Gibbons GW, Pomposelli FB Jr. Arm vein conduit is superior to composite prosthetic-autogenous grafts in lower extremity revascularization. 2000;31:1119-27
Faruqi RM (*see* Chuter et al). 2000;31:122-33
Favre JP (*see* Albertini et al). 2000;31:426-35
Fearn SJ, Picton AJ, Mortimer AJ, Parry AD, McCollum CN. The contribution of the external carotid artery to cerebral perfusion in carotid disease. 2000;31:989-93
Federle MP (*see* Raghavan et al). 2000;31:760-9
Feinglass J, McCarthy WJ, Slavensky R, Manheim LM, Margin GJ. Functional status and walking ability after lower extremity bypass grafting or angioplasty for intermittent claudication: results from a prospective outcomes study. 2000;31:93-103
Feinglass J (*see* Morasch et al). 2000;31:901-9
Ferris BL, Taylor LM Jr, Oyama K, McLafferty RB, Edwards JM, Moneta GL, Porter JM. Hypothenar hammer syndrome: proposed etiology. 2000;31:104-13
Fillinger M (*see* Powell et al). 2000;31:1178-84
Filliung D (*see* Kang et al). 2000;31:289-98
Fisher JB (*see* McKee and Fisher). 2000;31:589-91 (Case rep.)
Flynn LM (*see* Berguer et al). 2000;31:9-18
Flynn TC (*see* Huber et al). 2000;31:1038-41
Fodera M (*see* Ascher et al). 2000;31:84-92
Fogarty TJ (*see* Zarins et al). 2000;31:960-70
Fowkes FGR (*see* Wilson et al). 2000;31:507-13
Fox JC (*see* Hanna et al). 2000;31:770-80
Fox PL (*see* Minion et al). 2000;31:953-9
Fox PL (*see* van Aalst et al). 2000;31:171-80
Freeman MB (*see* Rowe et al). 2000;31:567-76
Freischlag J (*see* Clagett et al). 2000;31:1060-5
Friedman SG (*see* Rosenthal et al). 2000;31:60-8
Fronek A, Minn C, Kim R. Venous outflow and inflow resistance in health and venous disease. 2000;31:472-6
Furukawa L, Brevetti LS, Brady SE, Johnson D, Ma M, Welling TH, Messina LM. Adenoviral-mediated gene transfer of ICP47 inhibits major histocompatibility complex class I expression on vascular cells in vitro. 2000;31:558-66
Fuse S (*see* Willis et al). 2000;31:1160-7

G

Gade P (*see* Ascher et al). 2000;31:84-92
Gahtan V (*see* Willis et al). 2000;31:1160-7
Gailloud P (*see* Perler et al). 2000;31:1033-7
Gangadharan SP (*see* Eslami et al). 2000;31:1149-59
Garcia GD, Goff JM Jr, Hadro NC, O'Donnell SD, Greatorex PS. Chronic ergot toxicity: a rare cause of lower extremity ischemia. 2000;31:1245-7 (Case rep.)
Gardner AW (*see* Izquierdo-Porrera et al). 2000;31:670-7
Garrett HE (*see* Green et al). 2000;31:417-25
Garvey L, Makaroun MS, Muluk VS, Webster MW, Muluk SC. Etiologic factors in progression of carotid stenosis: a 10-year study in 905 patients. 2000;31:31-8
Geier B (*see* Barbera et al). 2000;31:412-14 (Letter)
Geller SC (*see* Rehring et al). 2000;31:1135-41
Gerhard-Herman MD (*see* Upchurch et al). 2000;31:1128-34
Germann RC (*see* Bernard et al). 2000;31:790-3 (Case rep.)
Geroulakos G (*see* Sabetai et al). 2000;31:39-49

Gertler JP (*see* Rehring et al). 2000;31:1135-41
Gewertz BL (*see* Meyerson et al). 2000;31:910-17
Gibbons GW (*see* Akbari et al). 2000;31:1103-9
Gibbons GW (*see* Faries et al). 2000;31:50-9, 1119-27
Giles RA, Pevec WC. Aortic pseudoaneurysm secondary to pancreatitis. 2000;31:1056-9
Gilling-Smith GL (*see* How et al). 2000;31:1008-17
Giordano G (*see* Cao et al). 2000;31:19-30
Gleave ME (*see* Ting et al). 2000;31:624-6 (Letter reply)
Gloviczki P (*see* Bower et al). 2000;31:270-81
Gloviczki P (*see* Rhodes et al). 2000;31:260-9, 1193-1205
Goëau-Brissonnière O (*see* Coggia et al). 2000;31:550-7
Goëau-Brissonnière OA, Qanadli SD, Ippoliti A, Pistolese GR, Coggia M, Pollock JG. Can knitting structure affect dilation of polyester bifurcated prostheses? A randomized study with the use of helical computed tomography scanning. 2000; 31:157-63
Goff JM Jr (*see* Garcia et al). 2000;31:1245-7 (Case rep.)
Golan JF (*see* Schneider et al). 2000;31:927-35
Golden MA (*see* Hanna et al). 2000;31:770-80
Goldman MH (*see* Rowe et al). 2000;31:567-76
Golledge J. Regarding "A rational algorithm for duplex scan surveillance after carotid endarterectomy." 2000;31:838-9 (Letter)
Golzarian J (*see* Murgo and Golzarian). 2000;31:1078 (Letter)
Gordon RL (*see* Chuter et al). 2000;31:122-33
Gould DA (*see* Schermerhorn et al). 2000;31:217-26
Gover JL (*see* Boyer et al). 2000;31:181-9
Graham LM (*see* Minion et al). 2000;31:953-9
Graham LM (*see* van Aalst et al). 2000;31:171-80
Greatorex PS (*see* Garcia et al). 2000;31:1245-7 (Case rep.)
Green R (*see* Greenberg and Green). 2000;31:836-7 (Letter)
Green RM, Abbott WM, Matsumoto T, Wheeler JR, Miller N, Veith FJ, Money S, Garrett HE. Prosthetic above-knee femoropopliteal bypass grafting: five-year results of a randomized trial. 2000;31:417-25
Green RM. Collaboration between vascular surgeons and interventional radiologists: reflections after two years. 2000;31: 826-30
Green RM (*see* Illig et al). 2000;31:1078-9 (Letter reply)
Green RM (*see* Ouriel et al). 2000;31:895-900
Greenberg R, Green R. A clinical perspective on the management of endoleaks after abdominal aortic endovascular aneurysm repair. 2000;31:836-7 (Letter)
Greenberg R, Resch, T, Nyman U, Lindh M, Brunkwall J, Brunkwall P, Malina M, Koul B, Lindblad B, Ivancev K. Endovascular repair of descending thoracic aortic aneurysms: an early experience with intermediate-term follow-up. 2000;31:147-56
Greenberg RK (*see* Illig et al). 2000;31:1078-9 (Letter reply)
Greenberg RK (*see* Ouriel et al). 2000;31:895-900
Greenfield LJ (*see* Wakefield et al). 2000;31:309-24
Greenhalgh RM (*see* Smith et al). 2000;31:642-9
Greisler HP (*see* Shireman and Greisler). 2000;31:936-43
Greisler HP (*see* Shireman et al). 2000;31:382-90
Griffin M (*see* Sabetai et al). 2000;31:39-49
Grund SL (*see* Kresowik et al). 2000;31:918-26
Gubta N (*see* Meyerson et al). 2000;31:802-5 (Case rep.)
Guest MG (*see* Smith et al). 2000;31:642-9
Guidicelli H (*see* Albertini et al). 2000;31:426-35
Gundry SR (*see* Sakopoulos et al). 2000;31:200-2 (Tech. note)
Gunduz Y (*see* Ascher et al). 2000;31:84-92

H

Hadro NC (*see* Garcia et al). 2000;31:1245-7 (Case rep.)
Hafez HM, Berwanger CS, Lintott P, Delis K, Wolfe JHN, Mansfield AO, Stansby G. Endotoxemia during supraceliac aortic crossclamping is associated with suppression of the monocyte CD14 mechanism: possible role of transforming growth factor-b1. 2000;31:520-31
Hafez HM, Berwanger CS, McColl A, Richmond W, Wolfe JHN, Mansfield AO, Stansby G. Myocardial injury in major aortic surgery. 2000;31:742-50
Haider SA (*see* Meyerson et al). 2000;31:802-5 (Case rep.)
Hallett JW Jr (*see* Rhodes et al). 2000;31:260-9
Hallett JW (*see* Bower et al). 2000;31:270-81
Hamdan AD (*see* Faries et al). 2000;31:1119-27
Hanna AK, Durán WN, Leconte I, Fox JC, Neschis DG, Hobson RW II, Golden MA. Adenoviral-mediated expression of antisense RNA to basic fibroblast growth factor reduces tangential stress in arterialized vein grafts. 2000;31:770-80
Hansen KJ, Osking TC. Regarding "Chronic renal artery occlusion: nephrectomy versus revascularization." 2000;31:411-12 (Letter reply)
Hanson SR (*see* Chen et al). 2000;31:354-63
Harris EL (*see* Rossaak et al). 2000;31:1026-32
Harris LM, Karakousis CP. Intravenous leiomyomatosis with cardiac extension: tumor thrombectomy through an abdominal approach. 2000;31:1046-51
Harris PL (*see* How et al). 2000;31:1008-17
Hastings B (*see* Ciervo et al). 2000;31:436-42
Hayes PD. Regarding "In situ replacement of infected aortic grafts with rifampicin-bonded prostheses: the Leicester experience (1992 to 1998)." 2000;31:837-8 (Letter reply)
Heckenkamp J, Adili F, Kishimoto J, Koch M, LaMuraglia GM. Local photodynamic action of methylene blue favorably modulates the postinterventional vascular wound healing response. 2000;31:1168-77
Hellberg A, Koga I, Christiansson L, Stiernström H, Wiklund L, Bergqvist D, Karacagil S. Influence of segmental spinal cord perfusion on intrathecal oxygen tension during experimental thoracic aortic crossclamping. 2000;31:164-70
Hemann RA (*see* Kresowik et al). 2000;31:918-26
Hendel ME (*see* Kresowik et al). 2000;31:918-26
Henke PK (*see* Wakefield et al). 2000;31:309-24
Henretta JP (*see* Karch et al). 2000;31:880-8
Henretta JP (*see* McLafferty et al). 2000;31:870-9
Heras M (*see* Rigol et al). 2000;31:1018-25
Hertzer NR. Extracranial carotid aneurysms: a new look at an old problem. 2000;31:823-5
Hertzer NR (*see* Martin et al). 2000;31:851-62
Hiatt WR. Regarding "Expression of myosin heavy chain isoforms in skeletal muscle of patients with peripheral arterial occlusive disease." 2000;31:611-12
Hines M (*see* Powell et al). 2000;31:1178-84
Hingorani A (*see* Ascher et al). 2000;31:84-92
Hobson RW II. Regarding "Randomized study of carotid angioplasty and stenting versus carotid endarterectomy: a stopped trial." 2000;31:622-4 (Letter)
Hobson RW II (*see* Hanna et al). 2000;31:770-80
Hobson RW II (*see* Kissin et al). 2000;31:69-83
Hodgson KJ (*see* Karch et al). 2000;31:880-8
Hodgson KJ (*see* McLafferty et al). 2000;31:870-9
Holm J (*see* Zachrisson et al). 2000;31:477-83
Holmberg A, Sandhagen B, Bergqvist D. Hermorheologic variables in critical limb ischemia before and after infrainguinal reconstruction. 2000;31:691-5
Hopkinson BR (*see* Kalliafas et al). 2000;31:1185-92
Hort W (*see* Müller et al). 2000;31:980-8
Hoskins PR (*see* Wilson et al). 2000;31:507-13

How TV, Rowe CS, Gilling-Smith GL, Harris PL. Interposition vein cuff anastomosis alters wall shear stress distribution in the recipient artery. 2000;31:1008-17
Hsiang YN (*see* Ting et al). 2000;31:624-6 (Letter reply)
Huber TS, Ozaki K, Flynn TC, Ross EA, Seeger JM. Use of superficial femoral vein for hemodialysis arteriovenous access. 2000;31:1038-41
Huynh TTT (*see* Azizzadeh et al). 2000;31:592-8 (Case rep.)

I

Ihlberg LHM, Roth WD, Albäck NA, Kantonen IK, Lepäntalo M. Successful percutaneous endovascular treatment of a ruptured popliteal artery aneurysm. 2000;31:794-7 (Case rep.)
Illig KA, Green RM, Shortell CK, Ouriel K, Greenberg RK, Waldman D. Regarding "Photoplethysmography and calf muscle function after subfascial endoscopic perforator ligation." 2000;31:1078-9 (Letter reply)
Ingegno MD (*see* Rosenthal et al). 2000;31:60-8
Ippoliti A (*see* Goëau-Brissonnière et al). 2000;31:157-63
Itoh H (*see* Kaiura et al). 2000;31:577-84
Ivancev K (*see* Greenberg et al). 2000;31:147-56
Iwata H, Matsushita M, Nishikimi N, Sakurai T, Nimura Y. Intestinal permeability is increased in patients with intermittent claudication. 2000;31:1003-7
Izquierdo-Porrera AM, Gardner AW, Powell CC, Katzel LI. Effects of exercise rehabilitation on cardiovascular risk factors in older patients with peripheral arterial occlusive disease. 2000;31:670-7

J

Jacobowitz GR (*see* Schanzer et al). 2000;31:815-18 (Case rep.)
Jeffery R (*see* Powell et al). 2000;31:1128-34
Joffre F (*see* d'Othée et al). 2000;31:190-5 (Case rep.)
Johnson BL, Bandyk DF, Back MR, AvinoAJ, Roth SM. Intraoperative duplex monitoring of infrainguinal vein bypass procedures. 2000;31:678-90
Johnson BL (*see* Rosenthal et al). 2000;31:60-8
Johnson D (*see* Furukawa et al). 2000;31:558-66
Johnson TR, Tomaszewski JE, Carpenter JP. Cellular repopulation of human vein allograft bypass grafts. 2000;31:994-1002
Johnston KW, Rutherford RB. Failure to disclose competitive interests. 2000;31:1306 (Editorial)
Johnston KW (*see* Couch et al). 2000;31:539-49
Johnston KW (*see* Rutherford and Johnston). 2000;31:1066-76 (Editorial)
Jones GT (*see* Rossaak et al). 2000;31:1026-32

K

Kadell AM (*see* Wakefield et al). 2000;31:309-24
Kaiura TL, Itoh H, Kubaska SM III, McCaffrey TA, Liu B, Kent KC. The effect of growth factors, cytokines, and extracellular matrix proteins on fibronectin production in human vascular smooth muscle cells. 2000;31:577-84
Kalliafas S, Albertini JN, Maciejewicz J, Yusuf SW, Whitaker SC, MacSweeney ST, Wenham PW, Hopkinson BR. Incidence and treatment of intraoperative technical problems during endovascular repair of complex abdominal aortic aneurysms. 2000;31:1185-92
Kang SS, Labropoulos N, Mansour MA, Michelini M, Filliung D, Baubly MP, Baker WH. Expanded indications for ultrasound-guided thrombin injections of pseudoaneurysms. 2000;31:289-98
Kansal N (*see* Kissin et al). 2000;31:69-83
Kantonen IK (*see* Ihlberg et al). 2000;31:794-7 (Case rep.)
Kao T-C (*see* Eifert et al). 2000;31:462-71
Karacagil S (*see* Hellberg et al). 2000;31:164-70
Karakousis CP (*see* Harris and Karakousis). 2000;31:1046-51
Karch LA, Mattos MA, Henretta JP, McLafferty RB, Ramsey DE, Hodgson KJ. Clinical failure after percutaneous transluminal angioplasty of the superficial femoral and popliteal arteries. 2000;31:880-8
Karch LA (*see* McLafferty et al). 2000;31:870-9
Kasirajan K, Dolmatch B, Ouriel K, Clair D. Delayed onset of ascending paralysis after thoracic aortic stent graft deployment. 2000;31:196-9 (Case rep.)
Katsamouris A (*see* Pipinos et al). 2000;31:944-52
Katzel LI (*see* Izquierdo-Porrera et al). 2000;31:670-7
Kaufman JA (*see* Rehring et al). 2000;31:1135-41
Kelly JJ (*see* Arous et al). 2000;31:1142-8
Kemen M (*see* Barbera et al). 2000;31:412-14 (Letter)
Kent KC (*see* Kaiura et al). 2000;31:577-84
Kent KC (*see* Mawatari et al). 2000;31:375-81
Kerlan RB (*see* Chuter et al). 2000;31:122-33
Kibbe MR, Li J, Nie S, Watkins SC, Lizonova A, Kovesdi I, Simmons RL, Billiar TR, Tzeng E. Inducible nitric oxide synthase (iNOS) expression upregulates p21 and inhibits vascular smooth muscle cell proliferation through p42/44 mitogen-activated protein kinase activation and independent of p53 and cyclic guanosine monophosphate. 2000;31:1214-28
Kibbe MR, Nie S, Seol D-W, Kovesdi I, Lizonova A, Makaroun M, Billiar TR, Tzeng E. Nitric oxide prevents p21 degradation in the ubiquitin-proteasome pathway in vascular smooth muscle cells. 2000;31:364-74
Kim R (*see* Fronek et al). 2000;31:472-6
Kishimoto J (*see* Heckenkamp et al). 2000;31:1168-77
Kissin M, Kansal N, Pappas PJ, DeFouw DO, Durán WN, Hobson RW II. Vein interposition cuffs decrease intimal hyperplastic response of polytetrafluoroethylene bypass grafts. 2000;31:69-83
Kistner RL (*see* Rutherford et al). 2000;31:1307-12
Kitamura S (*see* Ando et al). 2000;31:1042-5
Kjällman L (*see* Zachrisson et al). 2000;31:477-83
Kleinsasser LJ. Regarding "Early history of aortic surgery." 2000;31:626 (Letter)
Kline RA (*see* Berguer et al). 2000;31:9-18
Knoepp L, Beall A, Woodrum D, Mondy JS, Shaver E, Dickinson M, Brophy CM. Cellular stress inhibits vascular muscle relaxation. 2000;31:343-53
Koch M (*see* Heckenkamp et al). 2000;31:1168-77
Koga I (*see* Hellberg et al). 2000;31:164-70
Kolvenbach R. Regarding "Descending thoracic aorta to iliofemoral artery bypass grafting: a role for primary revascularization of aortoiliac occlusive disease?" 2000;31:410-11 (Letter)
Kotsis T (*see* Dimakakos and Kotsis). 2000;31:626-7 (Letter)
Koul B (*see* Greenberg et al). 2000;31:147-56
Kovesdi I (*see* Kibbe et al). 2000;31:364-74, 1214-28
Kraiss LW (*see* Rosenthal et al). 2000;31:60-8
Krajewski LP (*see* Martin et al). 2000;31:851-62
Kreienberg PB, Darling RC III, Chang BB, Paty PSK, Lloyd WE, Shah DM. Adjunctive techniques to improve patency of distal prosthetic bypass grafts: polytetrafluoroethylene with remote arteriovenous fistulae versus vein cuffs. 2000;31:696-701
Kreienberg PB (*see* Paty et al). 2000;31:253-9
Kresowik TF, Hemann RA, Grund SL, Hendel ME, Brenton M, Wiblin RT, Adams HP, Ellerbeck EF. Improving the outcomes of carotid endarterectomy: results of a statewide quality improvement project. 2000;31:918-26

Kubaska SM III (*see* Kaiura et al). 2000;31:577-84
Kuskowski MA (*see* Lee et al). 2000;31:889-94
Kuskowski MA (*see* Santilli et al). 2000;31:450-5

L

LaBerge JM (*see* Chuter et al). 2000;31:122-33
Labropoulos N (*see* Kang et al). 2000;31:289-98
Lachat ML. Regarding "Feasibility of endovascular repair of abdominal aortic aneurysms with local anesthesia with intravenous sedation." 2000;31:415 (Letter)
Lachat ML (*see* Bernard et al). 2000;31:790-3 (Case rep.)
Laheij RJF (*see* Buth et al). 2000;31:134-46
LaMuraglia GM, O'Hara PJ, Baker WH, Naslund TC, Norris EJ, Li J, Vandermeersch E. The reduction of the allogenic transfusion requirement in aortic surgery with a hemoglobin-based solution. 2000;31:299-308
LaMuraglia GM (*see* Heckenkamp et al). 2000;31:1168-77
LaMuraglia GM (*see* Rehring et al). 2000;31:1135-41
Langdon D (*see* Powell et al). 2000;31:1178-84
Lanoue MZ (*see* Upchurch et al). 2000;31:1128-34
Leconte I (*see* Hanna et al). 2000;31:770-80
Lee AJ (*see* Adam et al). 2000;31:514-19
Lee AJ (*see* Wilson et al). 2000;31:507-13
Lee ES, Steenson CC, Trimble KE, Caldwell MP, Kuskowski MA, Santilli SM. Comparing patency rates between external iliac and common iliac artery stents. 2000;31:889-94
Lee ES (*see* Santilli et al). 2000;31:114-21, 450-5, 1229-39
Lee S (*see* Ciervo et al). 2000;31:436-42
Lees W (*see* Singh-Ranger et al). 2000;31:490-500
Lehmann M (*see* Steinacker et al). 2000;31:443-9
Lepäntalo M (*see* Ihlberg et al). 2000;31:794-7 (Case rep.)
Leschi JP (*see* Coggia et al). 2000;31:550-7
Leseche G (*see* Samain et al). 2000;31:971-9
Letizia C (*see* De Toma et al). 2000;31:806-10 (Case rep.)
Letort M (*see* Coggia et al). 2000;31:550-7
Levien LJ. Regarding "Adventitial cystic disease: a unifying hypothesis." 2000;31:621-2 (Letter reply)
Levien LJ, Veller MG. Regarding "Popliteal entrapment: more common than previously recognized." 2000;31.1077-8 (Letter reply)
Li J (*see* Kibbe et al). 2000;31:1214-28
Li J (*see* LaMuraglia et al). 2000;31:299-308
Liewald F (*see* Steinacker et al). 2000;31:443-9
Lindblad B (*see* Greenberg et al). 2000;31:147-56
Lindh M (*see* Greenberg et al). 2000;31:147-56
Lintott P (*see* Hafez et al). 2000;31:520-31
Litwin DEM (*see* Arous et al). 2000;31:1142-8
Liu B (*see* Kaiura et al). 2000;31:577-84
Liu B (*see* Mawatari et al). 2000;31:375-81
Liu Y (*see* Steinacker et al). 2000;31:443-9
Lizonova A (*see* Kibbe et al). 2000;31:364-74, 1214-28
Lloyd WE (*see* Kreienberg et al). 2000;31:696-701
Lloyd WE (*see* Paty et al). 2000;31:253-9
LoGerfo F (*see* Clagett et al). 2000;31:1060-5
LoGerfo FW (*see* Akbari et al). 2000;31:1103-9
LoGerfo FW (*see* Faries et al). 2000;31:50-9, 1119-27
Lokanathan R, Taylor DC. Abdominal aortic aneurysm after pulmonary transplantation: a case report. 2000;31:585-8 (Case rep.)
Londy FJ (*see* Wakefield et al). 2000;31:309-24
Lormes W (*see* Steinacker et al). 2000;31:443-9
Loth F (*see* Meyerson et al). 2000;31:910-17
Ludman CN (*see* Pollock et al). 2000;31:798-801 (Case rep.)
Lumsden AB (*see* Chen et al). 2000;31:354-63
Luther B (*see* Müller et al). 2000;31:980-8

M

Ma M (*see* Furukawa et al). 2000;31:558-66
Macierewicz J (*see* Kalliafas et al). 2000;31:1185-92
Mackey WC (*see* Roddy et al). 2000;31:227-36
MacSweeney ST (*see* Kalliafas et al). 2000;31:1185-92
Maddox E (*see* Shireman et al). 2000;31:382-90
Magnan PE (*see* Albertini et al). 2000;31:426-35
Magnan PE (*see* Rosset et al). 2000;31:713-23
Magne JL (*see* Albertini et al). 2000;31:426-35
Makaroun M (*see* Kibbe et al). 2000;31:364-74
Makaroun MS (*see* Garvey et al). 2000;31:31-8
Makaroun MS (*see* Raghavan et al). 2000;31:760-9
Malina M (*see* Greenberg et al). 2000;31:147-56
Manheim LM (*see* Feinglass et al). 2000;31:93-103
Manheim LM (*see* Morasch et al). 2000;31:901-9
Mannick JA (*see* Upchurch et al). 2000;31:1128-34
Mansfield AO (*see* Hafez et al). 2000;31:520-31, 742-50
Mansour MA (*see* Kang et al). 2000;31:289-98
Mao D (*see* Curci et al). 2000;31:325-42
Margin GJ (*see* Feinglass et al). 2000;31:93-103
Markwell SJ (*see* McLafferty et al). 2000;31:870-9
Martin GH, O'Hara PJ, Hertzer NR, Mascha EJ, Krajewski LP, Beven EG, Clair DG, Ouriel K. Surgical repair of aneurysms involving the suprarenal, visceral, and lower thoracic aortic segments: early results and late outcome. 2000;31:851-62
Martin JD (*see* Rosenthal et al). 2000;31:60-8
Martínez A (*see* Rigol et al). 2000;31:1018-25
Marty J (*see* Samain et al). 2000;31:971-9
Mascha EJ (*see* Martin et al). 2000;31:851-62
Matsumoto T (*see* Green et al). 2000;31:417-25
Matsuo H (*see* Ando et al). 2000;31:1042-5
Matsushita M (*see* Iwata et al). 2000;31:1003-7
Mattos MA (*see* Karch et al). 2000;31:880-8
Mattos MA (*see* McLafferty et al). 2000;31:870-9
Mawatari K, Liu B, Kent KC. Activation of integrin receptors is required for growth factor-induced smooth muscle cell dysfunction. 2000;31:375-81
Mazzariol F (*see* Ascher et al). 2000;31:84-92
McArthur T (*see* Singh-Ranger et al). 2000;31:490-500
McCaffrey TA (*see* Kaiura et al). 2000;31:577-84
McCarthy WJ (*see* Feinglass et al). 2000;31:93-103
McColl A (*see* Hafez et al). 2000;31:742-50
McCollum CH. The distinguished service award medal for the Society of Vascular Surgery, 1999: Michael Ellis deBakey, MD. 2000;31:406-9
McCollum CN (*see* Fearn et al). 2000;31:989-93
McKay J (*see* Calligaro et al). 2000;31:245-52
McKee TI, Fisher JB. Dorsalis pedis artery aneurysm: case report and literature review. 2000;31:589-91 (Case rep.)
McKinsey JF (*see* Meyerson et al). 2000;31:802-5 (Case rep.), 910-17
McLafferty RB, Dunnington GL, Mattos MA, Markwell SJ, Ramsey DE, Henretta JP, Karch LA, Hodgson KJ, Sumner DS. Factors affecting the diagnosis of peripheral vascular disease before vascular surgery referral. 2000;31:870-9
McLafferty RB (*see* Ferris et al). 2000;31:104-13
McLafferty RB (*see* Karch et al). 2000;31:880-8
Meissner MH (*see* Rutherford et al). 2000;31:1307-12
Messina LM (*see* Chuter et al). 2000;31:122-33
Messina LM (*see* Furukawa et al). 2000;31:558-66
Meyerson SL, Haider SA, Gubta N, O'Dorsio JE, McKinsey JF, Schwartz LB. Abdominal aortic aneurysm with aorta-left renal vein fistula with left varicocele. 2000;31:802-5 (Case rep.)

Meyerson SL, Moawad J, Loth F, Skelly CL, Bassiouny HS, McKinsey JF, Gewertz BL, Schwartz LB. Effective hemodynamic diameter: an intrinsic property of vein grafts with predictive value for patency. 2000;31:910-17
Michelini M (*see* Kang et al). 2000;31:289-98
Miller CC III (*see* Azizzadeh et al). 2000;31:592-8 (Case rep.)
Miller N (*see* Green et al). 2000;31:417-25
Miller VM (*see* Rhodes et al). 2000;31:1193-1205
Minion DJ, Snajdar RM, van de Kerkhove MP, van Aalst JA, Fox PL, Graham LM. The migratory response to platelet-derived growth factor of smooth muscle cells isolated from synthetic vascular grafts in a canine model. 2000;31:953-9
Minn C (*see* Fronek et al). 2000;31:472-6
Moawad J (*see* Meyerson et al). 2000;31:910-17
Mondy JS (*see* Knoepp et al). 2000;31:343-53
Moneta GL (*see* Abou-Zamzam et al). 2000;31:282-8
Moneta GL (*see* Ferris et al). 2000;31:104-13
Moneta GL (*see* Rutherford et al). 2000;31:1307-12
Money S (*see* Green et al). 2000;31:417-25
Money SR (*see* Sternbergh and Money). 2000;31:237-44
Montoya SB (*see* Escribano Ferrer et al). 2000;31:736-41
Moody AR (*see* Pollock et al). 2000;31:798-801 (Case rep.)
Morasch MD, Parker MA, Feinglass J, Manheim LM, Pearce WH. Carotid endarterectomy: characterization of recent increases in procedure rates. 2000;31:901-9
Moritz MW (*see* Rosenthal et al). 2000;31:60-8
Mortimer AJ (*see* Fearn et al). 2000;31:989-93
Mozes G (*see* Rhodes et al). 2000;31:1193-1205
Müller BT, Luther B, Hort W, Neumann-Haefelin T, Aulich A, Sandmann W. Surgical treatment of 50 carotid dissections: indications and results. 2000;31:980-8
Muluk SC (*see* Garvey et al). 2000;31:31-8
Muluk VS (*see* Garvey et al). 2000;31:31-8
Mumme A (*see* Barbera et al). 2000;31:412-14 (Letter)
Murgo S, Golzarian J. Regarding "The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta." 2000;31:1078 (Letter)
Murphy K (*see* Perler et al). 2000;31:1033-7
Myers DD (*see* Wakefield et al). 2000;31:309-24

N

Nagel MD (*see* Coggia et al). 2000;31:550-7
Nagorney DM (*see* Bower et al). 2000;31:270-81
Naslund TC (*see* LaMuraglia et al). 2000;31:299-308
Nawaz S (*see* Walker et al). 2000;31:662-9
Naylor AR, Bell PRF. Regarding "Randomized study of carotid angioplasty and stenting versus carotid endarterectomy: a stopped trial." 2000;31:622-4 (Letter reply)
Neglen P, Raju S. Ambulatory venous pressure revisited. 2000;31:1206-13
Neglen P (*see* Raju and Neglen). 2000;31:631-41
Nehler ML (*see* Cipolla et al). 2000;31:751-9
Nelson PR (*see* Arous et al). 2000;31:1142-8
Neri E, Capannini G, Diciolla F, Carone E, Tripodi A, Tucci E, Sassi C. Localized dissection and delayed rupture of the abdominal aorta after extracorporeal shock wave lithotripsy. 2000;31:1052-5
Neschis DG (*see* Hanna et al). 2000;31:770-80
Neumann-Haefelin T (*see* Müller et al). 2000;31:980-8
Newman VS (*see* Politz et al). 2000;31:599-606 (Case rep.)
Nghiem DD. Regarding "Chronic renal artery occlusion: nephrectomy versus revascularization." 2000;31:411-12 (Letter)
Nicholls SC, Smith W. Peripheral arterial embolization: Doppler ultrasound scan diagnosis. 2000;31:811-14 (Case rep.)
Nicolaides AN (*see* Delis et al). 2000;31:650-61
Nicolaides AN (*see* Sabetai et al). 2000;31:39-49
Nicolanti V (*see* De Toma et al). 2000;31:806-10 (Case rep.)
Nie S (*see* Kibbe et al). 2000;31:364-74, 1214-28
Nimura Y (*see* Iwata et al). 2000;31:1003-7
Nishikimi N (*see* Iwata et al). 2000;31:1003-7
Norris EJ (*see* LaMuraglia et al). 2000;31:299-308
Nyman U (*see* Greenberg et al). 2000;31:147-56

O

Oderich GSC (*see* Treiman et al). 2000;31:1110-8
O'Donnell SD (*see* Garcia et al). 2000;31:1245-7 (Case rep.)
O'Donnell TF Jr (*see* Roddy et al). 2000;31:227-36
O'Dorsio JE (*see* Meyerson et al). 2000;31:802-5 (Case rep.)
O'Hara PJ (*see* LaMuraglia et al). 2000;31:299-308
O'Hara PJ (*see* Martin et al). 2000;31:851-62
Ojha M (*see* Couch et al). 2000;31:539-49
Okita Y (*see* Ando et al). 2000;31:1042-5
Opitz-Gress A (*see* Steinacker et al). 2000;31:443-9
Osking TC (*see* Hansen and Osking). 2000;31:411-12 (Letter reply)
Otal P (*see* d'Othée et al). 2000;31:190-5 (Case rep.)
Ouriel K, Green RM, Greenberg RK, Clair DG. The anatomy of deep venous thrombosis of the lower extremity. 2000;31:895-900
Ouriel K (*see* Illig et al). 2000;31:1078-9 (Letter reply)
Ouriel K (*see* Kasirajan et al). 2000;31:196-9 (Case rep.)
Ouriel K (*see* Martin et al). 2000;31:851-62
Oyama K (*see* Ferris et al). 2000;31:104-13
Ozaki K (*see* Huber et al). 2000;31:1038-41

P

Padberg FT Jr (*see* Rutherford et al). 2000;31:1307-12
Pairolero PC (*see* Rhodes et al). 2000;31:260-9
Pallos LL (*see* Rosenthal et al). 2000;31:60-8
Palombo D (*see* Cao et al). 2000;31:19-30
Pangilinan A (*see* Ciervo et al). 2000;31:436-42
Panneton JM (*see* Bower et al). 2000;31:270-81
Panneton JM (*see* Rhodes et al). 2000;31:260-9
Pappas PJ (*see* Kissin et al). 2000;31:69-83
Parfitt J, Chalmers RTA, Wolfe JHN. Visceral aneurysms in Ehlers-Danlos syndrome: case report and review of the literature. 2000;31:1248-51 (Case rep.)
Parker MA (*see* Morasch et al). 2000;31:901-9
Parry AD (*see* Fearn et al). 2000;31:989-93
Passman MA, Keagy BA. Regarding "Descending thoracic aorta to iliofemoral artery bypass grafting: a role for primary revascularization of aortoiliac occlusive disease?" 2000;31:410-11 (Letter reply)
Patrone P (*see* Schiavetta et al). 2000;31:484-9
Paty PSK, Darling RC III, Chang BB, Lloyd WE, Kreienberg PB, Shah DM. Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery. 2000;31:253-9
Paty PSK (*see* Kreienberg et al). 2000;31:696-701
Pearce WH (*see* Morasch et al). 2000;31:901-9
Peinetti F (*see* Cao et al). 2000;31:19-30
Perler BA, Murphy K, Sternbach Y, Gailloud P, Shake JG. Immediate postoperative thrombolytic therapy: an aggressive strategy for neurologic salvage when cerebral thromboembolism complicates carotid endarterectomy. 2000;31:1033-7
Pevec WC (*see* Giles and Pevec). 2000;31:1056-9
Piano G (*see* Rosenthal et al). 2000;31:60-8

Piccirillo G (*see* De Toma et al). 2000;31:806-10 (Case rep.)
Picton AJ (*see* Fearn et al). 2000;31:989-93
Pipinos II, Shepard AD, Anagnostopoulos PV, Katsamouris A, Boska MD. Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle. 2000;31:944-52
Pistolese GR (*see* Goëau-Brissonnière et al). 2000;31:157-63
Pitsch RJ (*see* van Aalst et al). 2000;31:171-80
Plocco M (*see* De Toma et al). 2000;31:806-10 (Case rep.)
Pockley AG (*see* Walker et al). 2000;31:662-9
Politz JK, Newman VS, Stewart MT. Late abdominal aortic aneurysm rupture after AneuRx repair: a report of three cases. 2000;31:599-606 (Case rep.)
Pollock JG, Moody AR, Ludman CN, Sokal M, Tennant WG. Postirradiation aortic sarcoma demonstrated by magnetic resonance angiography. 2000;31:798-801 (Case rep.)
Pollock JG (see Goëau-Brissonnière et al). 2000;31:157-63
Pomar JL (*see* Rigol et al). 2000;31:1018-25
Pomposelli FB Jr (*see* Akbari et al). 2000;31:1103-9
Pomposelli FB Jr (*see* Faries et al). 2000;31:50-9, 1119-27
Porter JB (*see* Shoab et al). 2000;31:456-61
Porter JM. Pneumatic limb compression: a free lunch?. 2000;31:821-2
Porter JM (*see* Abou-Zamzam et al). 2000;31:282-8
Porter JM (*see* Cipolla et al). 2000;31:751-9
Porter JM (*see* Ferris et al). 2000;31:104-13
Powell CC (*see* Izquierdo-Porrera et al). 2000;31:670-7
Powell RJ, Bettmann M, Fillinger M, Jeffery R, Langdon D, Walsh DB, Zwolak R, Hines M, Cronenwett JL. The durability of endovascular treatment of multisegment iliac occlusive disease. 2000;31:1178-84
Powell RJ (*see* Di Luozzo et al). 2000;31:781-9
Prince MR (*see* Wakefield et al). 2000;31:309-24
Pulling MC (*see* Akbari et al). 2000;31:1103-9
Pulling MC (*see* Faries et al). 2000;31:50-9, 1119-27

Q

Qanadli SD (*see* Goëau-Brissonnière et al). 2000;31:157-63
Qin F(*see* Ciervo et al). 2000;31:436-42

R

Raghavan ML, Vorp DA, Federle MP, Makaroun MS, Webster MW. Wall stress distribution on three-dimensionally reconstructed models of human abdominal aortic aneurysm. 2000;31:760-9
Raju S, Neglen P. Popliteal vein entrapment: a benign venographic feature or a pathologic entity?. 2000;31:631-41
Raju S (*see* Neglen and Raju). 2000;31:1206-13
Ramsey DE (*see* Karch et al). 2000;31:880-8
Ramsey DE (*see* McLafferty et al). 2000;31:870-9
Rapp J (*see* Chuter et al). 2000;31:122-33
Rauwerda JA (*see* Wisselink et al). 2000;31:1240-4 (Case rep.)
Recek C. Regarding "Photoplethysmography and calf muscle function after subfascial endoscopic perforator ligation." 2000;31:1078-9 (Letter)
Reddick TT (*see* Rowe et al). 2000;31:567-76
Rehring TF, Brewster DC, Cambria RP, Kaufman JA, Geller SC, Fan CM, Gertler JP, LaMuraglia GM, Abbott WM. Utility and reliability of endovascular aortouniiliac with femorofemoral crossover graft for aortoiliac aneurysmal disease. 2000;31:1135-41
Reilly JM (*see* Curci et al). 2000;31:325-42
Reilly LM (*see* Chuter et al). 2000;31:122-33
Reitz-Vick D (*see* Boyer et al). 2000;31:181-9
Resch T (*see* Greenberg et al). 2000;31:147-56
Rhodes JM, Cherry KJ Jr, Clark RC, Panneton JM, Bower TC, Gloviczki P, Hallett JW Jr, Pairolero PC. Aortic-origin reconstruction of the great vessels: risk factors of early and late complications. 2000;31:260-9
Rhodes JM, Cho JS, Gloviczki P, Mozes G, Rolle R, Miller VM. Thrombolysis for experimental deep venous thrombosis maintains valvular competence and vasoreactivity. 2000;31:1193-1205
Rhynhart KK (*see* Eslami et al). 2000;31:1149-59
Rich NM (*see* Eifert et al). 2000;31:462-71
Richmond W (*see* Hafez et al). 2000;31:742-50
Riester WH (*see* Alameddine and Riester). 2000;31:819-20 (Tech. note)
Rigdon EE (*see* Rosenthal et al). 2000;31:60-8
Rigol M, Heras M, Martínez A, Zurbano MJ, Agustí E, Roig E, Pomar JL, Sanz G. Changes in the cooling rate and medium improve the vascular function in cryopreserved porcine femoral arteries. 2000;31:1018-25
Riles TS (*see* Schanzer et al). 2000;31:815-18 (Case rep.)
Ritchie WP Jr (*see* Clagett et al). 2000;31:1060-5
Rockman CB (*see* Schanzer et al). 2000;31:815-18 (Case rep.)
Roddy SP, O'Donnell TF Jr, Wilson AL, Estes JM, Mackey WC. The Balanced Budget Act: potential implications for the practice of vascular surgery. 2000;31:227-36
Rohan DI (*see* Faries et al). 2000;31:50-9, 1119-27
Roig E (*see* Rigol et al). 2000;31:1018-25
Rolle R (*see* Rhodes et al). 2000;31:1193-1205
Rosenthal D, Arous EJ, Friedman SG, Ingegno MD, Johnson BL, Kraiss LW, Martin JD, Moritz MW, Piano G, Rigdon EE, Self SB, Pallos LL. Endovascular-assisted versus conventional in situ saphenous vein bypass grafting: cumulative patency, limb salvage, and cost results in a 39-month multicenter study. 2000;31:60-8
Ross EA (*see* Huber et al). 2000;31:1038-41
Ross JA (*see* Adam et al). 2000;31:514-19
Rossaak JI, van Rij AM, Jones GT, Harris EL. Association of the 4g/5g polymorphism in the promoter region of plasminogen activator inhibitor-1 with abdominal aortic aneurysms. 2000;31:1026-32
Rosset E, Albertini JN, Magnan PE, Ede B, Thomassin JM, Branchereau A. Surgical treatment of extracranial internal carotid artery aneurysms. 2000;31:713-23
Roth SM. (*see* Johnson et al). 2000;31:678-90
Roth WD (*see* Ihlberg et al). 2000;31:794-7 (Case rep.)
Rousseau H (*see* d'Othée et al). 2000;31:190-5 (Case rep.)
Rovani G (*see* Schiavetta et al). 2000;31:484-9
Rowe CS (*see* How et al). 2000;31:1008-17
Rowe VL, Stevens SL, Reddick TT, Freeman MB, Donnell R, Carroll RC, Goldman MH. Vascular smooth muscle cell apoptosis in aneurysmal, occlusive, and normal human aortas. 2000;31:567-76
Rubin BG (*see* Curci et al). 2000;31:325-42
Ruckley CV (*see* Adam et al). 2000;31:514-19
Ruckley CV (*see* Wilson et al). 2000;31:507-13
Rutherford RB, Johnston KW. Potential problems with industry-supported clinical research. 2000;31:1066-76 (Editorial)
Rutherford RB, Padberg FT Jr, Comerota AJ, Kistner RL, Meissner MH, Moneta GL. Venous severity scoring: an adjunct to venous outcome assessment. 2000;31:1307-12
Rutherford RB (*see* Johnston and Rutherford). 2000;31:1306 (Editorial)

S

Sabetai MM, Tegos TJ, Nicolaides AN, El-Atrozy TS, Dhanjil S, Griffin M, Belcaro G, Geroulakos G. Hemispheric symptoms and carotid plaque echomorphology. 2000;31:39-49
Safi HJ (*see* Azizzadeh et al). 2000;31:592-8 (Case rep.)
Said S. Regarding "Laparoscopic aortofemoral bypass grafting: human cadaveric and initial clinical experiences." 2000;31:412-14 (Letter reply)
Sakopoulos AG, Ballard JL, Gundry SR. Minimally invasive approach for aortic arch branch vessel reconstruction. 2000;31:200-2 (Tech. note)
Sakurai T (*see* Iwata et al). 2000;31:1003-7
Samain E, Farah E, Leseche G, Marty J. Guidelines for perioperative cardiac evaluation from the American College of Cardiology/American Heart Association task force are effective for stratifying cardiac risk before aortic surgery. 2000; 31:971-9
Samsó JJ (*see* Escribano Ferrer et al). 2000;31:736-41
Sandhagen B (*see* Holmberg et al). 2000;31:691-5
Sandmann W (*see* Müller et al). 2000;31:980-8
Sandor A (*see* Arous et al). 2000;31:1142-8
Santilli SM, Lee ES, Wernsing SE, Diedrich DA, Kuskowski MA, Shew RL. Superficial femoral popliteal vein: an anatomic study. 2000;31:450-5
Santilli SM, Wernsing SE, Lee ES. Expansion rates and outcomes for iliac artery aneurysms. 2000;31:114-21
Santilli SM, Wernsing SE, Lee ES. Transarterial wall oxygen gradients at a prosthetic vascular graft to artery anastomosis in the rabbit. 2000;31:1229-39
Santilli SM (*see* Lee et al). 2000;31:889-94
Sanz G (*see* Rigol et al). 2000;31:1018-25
Sarkar R (*see* Diwan et al). 2000;31:863-9
Sassi C (*see* Neri et al). 2000;31:1052-5
Sawhney R (*see* Chuter et al). 2000;31:122-33
Saxton JM (*see* Walker et al). 2000;31:662-9
Schanzer A, Rockman CB, Jacobowitz GR, Riles TS. Internal jugular vein thrombosis in association with the ovarian hyperstimulation syndrome. 2000;31:815-18 (Case rep.)
Schanzer A (*see* Schanzer and Schanzer). 2000;31:607-10 (Tech. note)
Schanzer H, Schanzer A. Guidewire entrapment during deployment of the over-the-guidewire stainless steel Greenfield filter: a device design-related complication. 2000;31:607-10 (Tech. note)
Schaub R (*see* Wakefield et al). 2000;31:309-24
Schermerhorn ML, Birkmeyer MD, Gould DA, Cronenwett JL. Cost-effectiveness of surgery for small abdominal aortic aneurysms on the basis of data from the United Kingdom small aneurysm trial. 2000;31:217-26
Schiavetta A, Rovani G, Patrone P. Validation of flow convergence region method in the assessment of carotid artery stenoses during color-flow duplex studies. 2000;31:484-9
Schindler N (*see* Calligaro et al). 2000;31:245-52
Schindler N (*see* Schneider et al). 2000;31:927-35
Schmid ER (*see* Bernard et al). 2000;31:790-3 (Case rep.)
Schneider JR, Droste JS, Schindler N, Golan JF. Carotid endarterectomy in octogenarians: comparison with patient characteristics and outcomes in younger patients. 2000;31:927-35
Schneider PA (*see* Treiman et al). 2000;31:1110-8
Schurink GWH, van Baalen JM, Visser MJT, van Bockel JH. Thrombus within an aortic aneurysm does not reduce pressure on the aneurysmal wall. 2000;31:501-6
Schwartz LB (*see* Meyerson et al). 2000;31:802-5 (Case rep.), 910-17
Scurr JH (*see* Shoab et al). 2000;31:456-61
Seeger JM (*see* Huber et al). 2000;31:1038-41
Self SB (*see* Rosenthal et al). 2000;31:60-8
Seol D-W (*see* Kibbe et al). 2000;31:364-74
Serrando JR (*see* Escribano Ferrer et al). 2000;31:736-41
Shah DM (*see* Kreienberg et al). 2000;31:696-701
Shah DM (*see* Paty et al). 2000;31:253-9
Shake JG (*see* Perler et al). 2000;31:1033-7
Shaver E (*see* Knoepp et al). 2000;31:343-53
Shepard AD (*see* Pipinos et al). 2000;31:944-52
Shew RL (*see* Santilli et al). 2000;31:450-5
Shireman PK, Greisler HP. Mitogenicity and release of vascular endothelial growth factor with and without heparin from fibrin glue. 2000;31:936-43
Shireman PK, Xue L, Maddox E, Burgess WH, Greisler HP. The S130K fibroblast growth factor–1 mutant induces heparin-independent proliferation and is resistant to thrombin degradation in fibrin glue. 2000;31:382-90
Shoab, SS, Porter JB, Scurr JH, Coleridge-Smith PD. Effect of oral micronized purified flavonoid fraction treatment on leukocyte adhesion molecule expression in patients with chronic venous disease: a pilot study. 2000;31:456-61
Shortell CK (*see* Illig et al). 2000;31:1078-9 (Letter reply)
Showalter DP (*see* Samson and Showalter). 2000;31:1077-8 (Letter)
Sicard GA. Challenge to our specialty: the vascular surgeon in the year 2010. 2000;31:845-50
Sicard GA (*see* Curci et al). 2000;31:325-42
Silver D, Vouyouka A. The caput medusae of hypercoagulability. 2000;31:396-405
Silvestri F (*see* Ciervo et al). 2000;31:436-42
Simmons RL (*see* Kibbe et al). 2000;31:1214-28
Singh-Ranger R, McArthur T, Corte DC, Lees W, Adisheshiah M. The abdominal aortic aneurysm sac after endoluminal exclusion: a medium-term morphologic follow-up based on volumetric technology. 2000;31:490-500
Skelly CL (*see* Meyerson et al). 2000;31:910-17
Slavensky R (*see* Feinglass et al). 2000;31:93-103
Smakowski P (*see* Faries et al). 2000;31:50-9
Smith JJ, Guest MG, Greenhalgh RM, Davies AH. Measuring the quality of life in patients with venous ulcers. 2000;31:642-9
Smith W (*see* Nicholls and Smith). 2000;31:811-14 (Case rep.)
Snajdar RM (*see* Minion et al). 2000;31:953-9
Snyder RO (*see* Eslami et al). 2000;31:1149-59
Sokal M (*see* Pollock et al). 2000;31:798-801 (Case rep.)
Soula P (*see* d'Othée et al). 2000;31:190-5 (Case rep.)
Spartera C (*see* Cao et al). 2000;31:19-30
Stancanelli V (*see* Cao et al). 2000;31:19-30
Stanley JC. The discipline of vascular surgery at the close of the millennium, the American Board of Surgery Sub-board for Vascular surgery, and the wisdom of evolving a conjoint board of vascular surgery: one surgeon's perspective. 2000;31:831-5
Stanley JC (*see* Diwan et al). 2000;31:863-9
Stansby G (*see* Delis et al). 2000;31:650-61
Stansby G (*see* Hafez et al). 2000;31:520-31, 742-50
Steele GD Jr (*see* Clagett et al). 2000;31:1060-5
Steenson CC (*see* Lee et al). 2000;31:889-94
Steinacker JM, Opitz-Gress A, Baur S, Lormes W, Bolkart K, Sunder-Plassmann L, Liewald F, Lehmann M, Liu Y. Expression of myosin heavy chain isoforms in skeletal muscle of patients with peripheral arterial occlusive disease. 2000;31:443-9
Sternbach Y (*see* Perler et al). 2000;31:1033-7
Sternbergh WC III, Money SR. Hospital cost of endovascular

versus open repair of abdominal aortic aneurysms: a multicenter study. 2000;31:237-44
Stevens SL (*see* Rowe et al). 2000;31:567-76
Stewart MT (*see* Politz et al). 2000;31:599-606 (Case rep.)
Stiernström H (*see* Hellberg et al). 2000;31:164-70
Strieter RM (*see* Wakefield et al). 2000;31:309-24
Sui XX (*see* Eslami et al). 2000;31:1149-59
Sumner DS (*see* McLafferty et al). 2000;31:870-9
Sumpio BE (*see* Willis et al). 2000;31:1160-7
Sunder-Plassmann L (*see* Steinacker et al). 2000;31:443-9

T

Tagusari O (*see* Ando et al). 2000;31:1042-5
Taute MB (*see* Eifert et al). 2000;31:462-71
Taylor DC (*see* Lokanathan and Taylor). 2000;31:585-8 (Case rep.)
Taylor LM Jr (*see* Abou-Zamzam et al). 2000;31:282-8
Taylor LM Jr (*see* Cipolla et al). 2000;31:751-9
Taylor LM Jr (*see* Ferris et al). 2000;31:104-13
Tegos TJ (*see* Sabetai et al). 2000;31:39-49
Tennant WG (*see* Pollock et al). 2000;31:798-801 (Case rep.)
Thomassin JM (*see* Rosset et al). 2000;31:713-23
Thompson RW (*see* Curci et al). 2000;31:325-42
Ting A, Gleave ME, Hsiang YN. Regarding "In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava." 2000;31:624-6 (Letter reply)
Tomaszewski JE (*see* Johnson et al). 2000;31:994-1002
Toomey BJ (*see* Bower et al). 2000;31:270-81
Towne JB (*see* Clagett et al). 2000;31:1060-5
Townsend LE (*see* Boyer et al). 2000;31:181-9
Treiman GS, Oderich GSC, Ashrafi A, Schneider PA. Management of ischemic heel ulceration and gangrene: an evaluation of factors associated with successful healing. 2000;31:1110-8
Trevor KT (*see* Boyer et al). 2000;31:181-9
Trimble KE (*see* Lee et al). 2000;31:889-94
Tripodi A (*see* Neri et al). 2000;31:1052-5
Tucci E (*see* Neri et al). 2000;31:1052-5
Tuszynski GP (*see* Willis et al). 2000;31:1160-7
Tzeng E (*see* Kibbe et al). 2000;31:364-74, 1214-28

U

Upchurch GR Jr, Conte MS, Gerhard-Herman MD, Lanoue MZ, Donaldson MC, Mannick JA, Whittemore AD, Belkin M. Infrainguinal arterial reconstructions with vein grafts in patients with prior aortic procedures: the influence of aneurysm and occlusive disease. 2000;31:1128-34

V

Valenzuela VF (*see* Escribano Ferrer et al). 2000;31:736-41
Valladares JA (*see* Calligaro et al). 2000;31:245-52
Vallavicencio L (*see* Eifert et al). 2000;31:462-71
van Aalst JA, Pitsch RJ, Absood A, Fox PL, Graham LM. Mechanism of Dacron-activated monocytic cell oxidation of low density lipoprotein. 2000;31:171-80
van Aalst JA (*see* Minion et al). 2000;31:953-9
van Baalen JM (*see* Schurink et al). 2000;31:501-6
van Bockel JH (*see* Schurink et al). 2000;31:501-6
van de Kerkhove MP (*see* Minion et al). 2000;31:953-9
van den Berg FG (*see* Wisselink et al). 2000;31:1240-4 (Case rep.)
van Rij AM (*see* Rossaak et al). 2000;31:1026-32
Vandermeersch E (*see* LaMuraglia et al). 2000;31:299-308
Vandevenne JE (*see* Vanhoenacker et al). 2000;31:621-2 (Letter)
Vanhoenacker FM, Vandevenne JE, De Schepper AM, De Leersnijder J. Regarding "Adventitial cystic disease: a unifying hypothesis." 2000;31:621-2 (Letter)
Vasseur MA, Fabre O. Vascular complications of osteochondromas. 2000;31:532-8
Vecchiati E (*see* Cao et al). 2000;31:19-30
Veith FJ (*see* Calligaro et al). 2000;31:245-52
Veith FJ (*see* Green et al). 2000;31:417-25
Veller MG (*see* Levien and Veller). 2000;31:1077-8 (Letter reply)
Villalba M (*see* Boyer et al). 2000;31:181-9
Visser MJT (*see* Schurink et al). 2000;31:501-6
Vogel M (*see* Boyer et al). 2000;31:181-9
Volkmann R (*see* Zachrisson et al). 2000;31:477-83
Vorp DA (*see* Raghavan et al). 2000;31:760-9
Vouyouka A (*see* Silver and Vouyouka). 2000;31:396-405

W

Wakefield TW, Strieter RM, Schaub R, Myers DD, Prince MR, Wrobleski SK, Londy FJ, Kadell AM, Brown SL, Henke PK, Greenfield LJ. Venous thrombosis prophylaxis by inflammatory inhibition without anticoagulation therapy. 2000;31:309-24
Wakefield TW. Treatment options for venous thrombosis. 2000;31:613-20
Wakefield TW (*see* Diwan et al). 2000;31:863-9
Waldman D (*see* Illig et al). 2000;31:1078-9 (Letter reply)
Walker RD, Nawaz S, Wilkinson CH, Saxton JM, Pockley AG, Wood RFM. Influence of upper-and lower-limb exercise training on cardiovascular function and walking distances in patients with intermittent claudication. 2000;31:662-9
Wall SD (*see* Chuter et al). 2000;31:122-33
Walsh DB (*see* Powell et al). 2000;31:1178-84
Wang XJ (*see* Willis et al). 2000;31:1160-7
Watkins SC (*see* Kibbe et al). 2000;31:1214-28
Webster MW (*see* Garvey et al). 2000;31:31-8
Webster MW (*see* Raghavan et al). 2000;31:760-9
Welling TH (*see* Furukawa et al). 2000;31:558-66
Wengerter K (*see* Ciervo et al). 2000;31:436-42
Wenham PW (*see* Kalliafas et al). 2000;31:1185-92
Wernsing SE (*see* Santilli et al). 2000;31:114-21, 450-5, 1229-39
Wheeler JR (*see* Green et al). 2000;31:417-25
Whitaker SC (*see* Kalliafas et al). 2000;31:1185-92
White RA (*see* Zarins et al). 2000;31:960-70
Whittemore AD. A team for the 21st century:the vascular center. 2000;31:1-8
Whittemore AD (*see* Clagett et al). 2000;31:1060-5
Whittemore AD (*see* Upchurch et al). 2000;31:1128-34
Wiblin RT (*see* Kresowik et al). 2000;31:918-26
Wiklund L (*see* Hellberg et al). 2000;31:164-70
Wilkinson CH (*see* Walker et al). 2000;31:662-9
Williamson WK (*see* Cipolla et al). 2000;31:751-9
Willis AI, Fuse S, Wang XJ, Chen E, Tuszynski GP, Sumpio BE, Gahtan V. Inhibition of phosphatidylinositol 3-kinase and protein kinase C attenuates extracellular matrix protein-induced vascular smooth muscle cell chemotaxis. 2000;31:1160-7
Wilson AL (*see* Roddy et al). 2000;31:227-36
Wilson KA, Hoskins PR, Lee AJ, Fowkes FGR, Ruckley CV, Bradbury AW. Ultrasonic measurement of abdominal aortic aneurysm wall compliance:a reproducibility study. 2000;31:507-13
Wilson MW (*see* Chuter et al). 2000;31:122-33
Wisselink W, Cuesta MA, Berends FJ, van den Berg FG, Rauwerda JA. Retroperitoneal endoscopic ligation of lumbar

and inferior mesenteric arteries as a treatment of persistent endoleak after endoluminal aortic aneurysm repair. 2000;31:1240-4 (Case rep.)
Wolfe JHN (*see* Delis et al). 2000;31:650-61
Wolfe JHN (*see* Hafez et al). 2000;31:520-31, 742-50
Wolfe JHN (*see* Parfitt et al). 2000;31:1248-51 (Case rep.)
Wolodiger F (*see* Ciervo et al). 2000;31:436-42
Wood RFM (*see* Walker et al). 2000;31:662-9
Woodrum D (*see* Knoepp et al). 2000;31:343-53
Wrobleski SK (*see* Wakefield et al). 2000;31:309-24

X

Xue L (*see* Shireman et al). 2000;31:382-90

Y

Yeager RA (*see* Abou-Zamzam et al). 2000;31:282-8
Yood SM (*see* Arous et al). 2000;31:1142-8
Yorkovich W (*see* Ascher et al). 2000;31:84-92
Yusuf SW (*see* Kalliafas et al). 2000;31:1185-92

Z

Zachrisson H, Berthelsen B, Blomstrand C, Holm J, Kjällman L, Volkmann R. High diastolic flow velocities in severe internal carotid artery stenosis:a sign of increased surgical risk?. 2000;31:477-83
Zannetti S (*see* Cao et al). 2000;31:19-30
Zarins CK. Time for the future of vascular surgery. 2000;31:207-16
Zarins CK, White RA, Fogarty TJ. Aneurysm rupture after endovascular repair using the AneuRx stent graft. 2000; 31:960-70
Zelenock GB (*see* Diwan et al). 2000;31:863-9
Zurbano MJ (*see* Rigol et al). 2000;31:1018-25
Zwolak R (*see* Powell et al). 2000;31:1178-84

*Subject index**

A

Abnormalities
Prevalence of deep venous anomalies in congenital vascular malformations of venous predominance (Eifert et al). 2000;31:462-71

Adenoviruses, human
Gene delivery to in situ veins:differential effects of adenovirus and adeno-associated viral vectors (Eslami et al). 2000; 31:1149-59

Aged
Carotid endarterectomy in octogenarians:comparison with patient characteristics and outcomes in younger patients (Schneider et al). 2000;31:927-35

Allograft; *see* Transplantation, homologous

Anastomosis, surgical
Interposition vein cuff anastomosis alters wall shear stress distribution in the recipient artery (How et al). 2000; 31:1008-17
Transarterial wall oxygen gradients at a prosthetic vascular graft to artery anastomosis in the rabbit (Santilli et al). 2000;31:1229-39

Anesthesia, local
Regarding "Feasibility of endovascular repair of abdominal aortic aneurysms with local anesthesia with intravenous sedation" (Lachat). 2000;31:415 (Letter)

Aneurysm
Dorsalis pedis artery aneurysm:case report and literature review (McKee and Fisher). 2000;31:589-91 (Case rep.)
Extracranial carotid aneurysms:a new look at an old problem (Hertzer). 2000;31:823-5
Extracranial carotid artery aneurysms:Texas Heart Institute experience (El-Sabrout and Cooley). 2000;31:702-12
Incidence of femoral and popliteal artery aneurysms in patients with abdominal aortic aneurysms (Diwan et al). 2000;31:863-9
Surgical treatment of extracranial internal carotid artery aneurysms (Rosset et al). 2000;31:713-23
Visceral aneurysms in Ehlers-Danlos syndrome:case report and review of the literature (Parfitt et al). 2000;31:1248-51 (Case rep.)

Aneurysm, abdominal aortic
Abdominal aortic aneurysm after pulmonary transplantation:a case report (Lokanathan and Taylor). 2000;31:585-8 (Case rep.)
Aortoduodenal fistula after endovascular stent-graft of an abdominal aortic aneurysm (d'Othée et al). 2000;31:190-5 (Case rep.)
Preoperative treatment with doxycycline reduces aortic wall expression and activation of matrix metalloproteinases in patients with abdominal aortic aneurysms (Curci et al). 2000;31:309-24
Regarding "Feasibility of endovascular repair of abdominal aortic aneurysms with local anesthesia with intravenous sedation" (Lachat). 2000;31:415 (Letter)

Aneurysm, dissecting
Surgical treatment of 50 carotid dissections:indications and results (Müller et al). 2000;31:980-8
A surgically treated case of Takayasu's arteritis complicated by aortic dissections localized in the ascending and abdominal aortae (Ando et al). 2000;31:1042-5

Aneurysm, false
Aortic pseudoaneurysm secondary to pancreatitis (Giles and Pevec). 2000;31:1056-9
Expanded indications for ultrasound-guided thrombin injections of pseudoaneurysms (Kang et al). 2000;31:289-98
Vascular complications of osteochondromas (Vasseur and Fabre). 2000;31:532-8

Aneurysm, ruptured
Aneurysm rupture after endovascular repair using the AneuRx stent graft (Zarins et al). 2000;31:960-70
A clinical perspective on the management of endoleaks after abdominal aortic endovascular aneurysm repair (Greenberg and Green). 2000;31:836-7 (Letter)
Elevated levels of soluble tumor necrosis factor receptors are associated with increased mortality rates in patients who undergo operation for ruptured abdominal aortic aneurysm (Adam et al). 2000;31:514-19
Late abdominal aortic aneurysm rupture after AneuRx repair:a report of three cases (Politz et al). 2000;31:599-606 (Case rep.)
Regarding "Early history of aortic surgery" (Kleinsasser) (Letter);(Thompson) (Reply). 2000;31:626
Successful percutaneous endovascular treatment of a ruptured popliteal artery aneurysm (Ihlberg et al). 2000;31:794-7 (Case rep.)

Angiogenesis; *see* Neovascularization

Angiography
The abdominal aortic aneurysm sac after endoluminal exclusion:a medium-term morphologic follow-up based on volumetric technology (Singh-Ranger et al). 2000;31:490-500

Angioplasty
A fifteen-year experience with carotid endarterectomy after a formal operative protocol requiring highly frequent patch angioplasty (Archie). 2000;31:724-35
Functional status and walking ability after lower extremity bypass grafting or angioplasty for intermittent claudication:results from a prospective outcomes study (Feinglass et al). 2000;31:93-103
Regarding "Randomized study of carotid angioplasty and stenting versus carotid endarterectomy:a stopped trial" (Hobson) (Letter); (Naylor and Bell) (Reply). 2000; 31:622-4

Angioplasty, balloon
Clinical failure after percutaneous transluminal angioplasty of the superficial femoral and popliteal arteries (Karch et al). 2000;31:880-8
Embolic risk of the different stages of carotid bifurcation balloon angioplasty: an experimental study (Coggia et al). 2000;31:550-7

Anti-inflammatory agents
Venous thrombosis prophylaxis by inflammatory inhibition without anticoagulation therapy (Wakefield et al). 2000;31:309-24

Anticoagulants
Treatment options for venous thrombosis (Wakefield). 2000;31:613-20

Aorta
Regarding "In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava" (Del Campo) (Letter); (Ting et al) (Reply). 2000;31:624-6
A surgically treated case of Takayasu's arteritis complicated by

*January, pp. 1-206; February, pp. 207-4160; March, pp. 417-630; April, pp. 631-844, May, pp. 845-1084; June, pp. 1085-1344.

aortic dissections localized in the ascending and abdominal aortae (Ando et al). 2000;31:1042-5
Vascular smooth muscle cell apoptosis in aneurysmal, occlusive, and normal human aortas (Rowe et al). 2000;31:567-76

Aorta, abdominal
Aortic pseudoaneurysm secondary to pancreatitis (Giles and Pevec). 2000;31:1056-9
Localized dissection and delayed rupture of the abdominal aorta after extracorporeal shock wave lithotripsy (Neri et al). 2000;31:1052-5
The reduction of the allogenic transfusion requirement in aortic surgery with a hemoglobin-based solution (LaMuraglia et al). 2000;31:299-308

Aorta, thoracic
Minimally invasive approach for aortic arch branch vessel reconstruction (Sakopoulos et al). 2000;31:200-2 (Tech. note)
Regarding "The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta" (Murgo and Golzarian) (Letter); (Brittenden) (Reply). 2000;31:1078

Aortic aneurysm, abdominal
The abdominal aortic aneurysm sac after endoluminal exclusion:a medium-term morphologic follow-up based on volumetric technology (Singh-Ranger et al). 2000;31:490-500
Abdominal aortic aneurysm with aorta-left renal vein fistula with left varicocele (Meyerson et al). 2000;31:802-5 (Case rep.)
Aneurysm rupture after endovascular repair using the AneuRx stent graft (Zarins et al). 2000;31:960-70
Association of the 4g/5g polymorphism in the promoter region of plasminogen activator inhibitor-1 with abdominal aortic aneurysms (Rossaak et al). 2000;31:1026-32
Challenge to our specialty: the vascular surgeon in the year 2010 (Sicard). 2000;31:845-50
A clinical perspective on the management of endoleaks after abdominal aortic endovascular aneurysm repair (Greenberg and Green). 2000;31:836-7 (Letter)
Cost-effectiveness of surgery for small abdominal aortic aneurysms on the basis of data from the United Kingdom small aneurysm trial (Schermerhorn et al). 2000;31:217-26
Early complications and endoleaks after endovascular abdominal aortic aneurysm repair:report of a multicenter study (Buth et al). 2000;31:134-46
Elevated levels of soluble tumor necrosis factor receptors are associated with increased mortality rates in patients who undergo operation for ruptured abdominal aortic aneurysm (Adam et al). 2000;31:514-19
Endovascular aneurysm repair in high-risk patients (Chuter et al). 2000;31:122-33
Hospital cost of endovascular versus open repair of abdominal aortic aneurysms:a multicenter study (Sternbergh and Money). 2000;31:237-44
Incidence and treatment of intraoperative technical problems during endovascular repair of complex abdominal aortic aneurysms (Kalliafas et al). 2000;31:1185-92
Incidence of femoral and popliteal artery aneurysms in patients with abdominal aortic aneurysms (Diwan et al). 2000;31:863-9
Infrainguinal arterial reconstructions with vein grafts in patients with prior aortic procedures:the influence of aneurysm and occlusive disease (Upchurch et al). 2000;31:1128-34
Late abdominal aortic aneurysm rupture after AneuRx repair:a report of three cases (Politz et al). 2000;31:599-606 (Case rep.)
Myocardial injury in major aortic surgery (Hafez et al). 2000;31:742-50
Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery (Paty et al). 2000;31:253-9
Retroperitoneal endoscopic ligation of lumbar and inferior mesenteric arteries as a treatment of persistent endoleak after endoluminal aortic aneurysm repair (Wisselink et al). 2000;31:1240-4 (Case rep.)
A surgically treated case of Takayasu's arteritis complicated by aortic dissections localized in the ascending and abdominal aortae (Ando et al). 2000;31:1042-5
Thrombus within an aortic aneurysm does not reduce pressure on the aneurysmal wall (Schurink et at). 2000;31:501-6
Ultrasonic measurement of abdominal aortic aneurysm wall compliance:a reproducibility study (Wilson et al). 2000;31:507-13
Utility and reliability of endovascular aortouniiliac with femorofemoral crossover graft for aortoiliac aneurysmal disease (Rehring et al). 2000;31:1135-41
Wall stress distribution on three-dimensionally reconstructed models of human abdominal aortic aneurysm (Raghavan et al). 2000;31:760-9

Aortic aneurysm, thoracic
Delayed onset of ascending paralysis after thoracic aortic stent graft deployment (Kasirajan et al). 2000;31:196-9 (Case rep.)
Endovascular repair of descending thoracic aortic aneurysms: an early experience with intermediate-term follow-up (Greenberg et al). 2000;31:147-56
Epidural cooling for spinal cord protection during thoracoabdominal aneurysm repair:a 5-year experience (Cambria et al). 2000;31:1093-102
Myocardial injury in major aortic surgery (Hafez et al). 2000;31:742-50
Nitroglycerin to control blood pressure during endovascular stent-grafting of descending thoracic aortic aneurysms (Bernard et al). 2000;31:790-3 (Case rep.)
Reversal of twice-delayed neurologic deficits with cerebrospinal fluid drainage after thoracoabdominal aneurysm repair:a case report and plea for a national database collection (Azizzadeh et al). 2000;31:592-8 (Case rep.)
Surgical repair of aneurysms involving the suprarenal, visceral, and lower thoracic aortic segments:early results and late outcome (Martin et al). 2000;31:851-62

Aortic arch; *see* **Aorta, thoracic**

Aortic diseases
Hand-assisted laparoscopic aortobifemoral bypass grafting (Arous et al). 2000;31:1142-8
Postirradiation aortic sarcoma demonstrated by magnetic resonance angiography (Pollock et al). 2000;31:798-801 (Case rep.)

Aortic rupture
Localized dissection and delayed rupture of the abdominal aorta after extracorporeal shock wave lithotripsy (Neri et al). 2000;31:1052-5
Thrombus within an aortic aneurysm does not reduce pressure on the aneurysmal wall (Schurink et at). 2000;31:501-6

Apoptosis
Vascular smooth muscle cell apoptosis in aneurysmal, occlusive, and normal human aortas (Rowe et al). 2000;31:567-76
Arterial occlusive diseases
Aortic-origin reconstruction of the great vessels:risk factors of early and late complications (Rhodes). 2000;31:260-9
The durability of endovascular treatment of multisegment iliac occlusive disease (Powell et al). 2000;31:1178-84
Effective hemodynamic diameter:an intrinsic property of vein grafts with predictive value for patency (Meyerson et al). 2000;31:910-17
Effects of exercise rehabilitation on cardiovascular risk factors in older patients with peripheral arterial occlusive disease (Izquierdo-Porrera et al). 2000;31:670-7
Expression of myosin heavy chain isoforms in skeletal muscle (Steinaker et al). 2000;31:443-9
Hand-assisted laparoscopic aortobifemoral bypass grafting (Arous et al). 2000;31:1142-8
Hypothenar hammer syndrome:proposed etiology (Ferris et al). 2000;31:104-13
Infrainguinal arterial reconstructions with vein grafts in patients with prior aortic procedures: the influence of aneurysm and occlusive disease (Upchurch et al). 2000;31:1128-34
Regarding "Chronic renal artery occlusion:nephrectomy versus revascularization" (Nghiem) (Letter); (Hansen and Oskin) (Reply). 2000;31:411-12
Regarding "Descending thoracic aorta to iliofemoral artery bypass grafting: a role for primary revascularization of aortoiliac occlusive disease?" (Kolvenbach) (Letter); (Passman and Keagy) (Reply). 2000;31:410-11
Regarding "Expression of myosin heavy chain isoforms in skeletal muscle" (Hiatt). 2000;31:611-12
Regarding "Laparoscopic aortofemoral bypass grafting: human cadaveric and initial clinical experiences" (Barbera et al) (Letter); Said (Reply). 2000;31:412-14
Regarding "Popliteal entrapment:more common than previously recognized" (Samson and Showalter) (Letter); (Levien and Veller) (Reply). 2000;31:1077-8
Use of ultrasound contrast in the diagnosis of carotid artery occlusion (Escribano Ferrer et al). 2000;31:736-41
Arteriovenous fistula
Abdominal aortic aneurysm with aorta-left renal vein fistula with left varicocele (Meyerson et al). 2000;31:802-5 (Case rep.)
Aortoduodenal fistula after endovascular stent-graft of an abdominal aortic aneurysm (d'Othée et al). 2000;31:190-5 (Case rep.)
Changes in the practice of angioaccess surgery:impact of dialysis outcome and quality initiative recommendations (Ascher et al). 2000;31:84-92
Arteriovenous shunt, surgical
Changes in the practice of angioaccess surgery:impact of dialysis outcome and quality initiative recommendations (Ascher et al). 2000;31:84-92
Regarding "Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips" (Dimakakos and Kotsis). 2000;31:626-7 (Letter)
Surgical reconstruction of the extracranial vertebral artery: management and outcome (Berguer et al). 2000; 31:9-18
Arteritis, Takayasu; *see* Pulseless disease
Atherectomy
Intraoperative duplex monitoring of infrainguinal vein bypass procedures (Johnson et al). 2000;31:678-90
Awards and prizes
The distinguished service award medal for the Society of Vascular Surgery, 1999:Michael Ellis deBakey, MD (McCollum). 2000;31:396-405

B

Bacterial infections
Endotoxemia during supraceliac aortic crossclamping is associated with suppression of the monocyte CD14 mechanism:possible role of transforming growth factor-b1 (Hafez et al). 2000;31:520-31
Regarding "In situ replacement of infected aortic grafts with rifampicin-bonded prostheses:the Leicester experience (1992 to 1998)" (Calligaro) (Letter); (Hayes) (Reply). 2000;31:837-8
Baroreflex
Baroreflex failure syndrome after bilateral excision of carotid body tumors:an underestimated problem (De Toma et al). 2000;31:806-10 (Case rep.)
Bioflavonoids
Effect of oral micronized purified flavonoid fraction treatment on leukocyte adhesion molecule expression in patients with chronic venous disease:a pilot study (Shoab et al). 2000;31:456-61
Blood
Isolation of endothelial cells and their progenitor cells from human peripheral blood (Boyer et al). 2000;31:181-9
Blood coagulation disorders
The caput medusae of hypercoagulability (Silver and Vouyouka). 2000;31:396-405
Blood flow velocity
High diastolic flow velocities in severe internal carotid artery stenosis:a sign of increased surgical risk? (Zachrisson et al). 2000;31:477-83
Blood substitutes
The reduction of the allogenic transfusion requirement in aortic surgery with a hemoglobin-based solution (LaMuraglia et al). 2000;31:299-308
Blood transfusion
The reduction of the allogenic transfusion requirement in aortic surgery with a hemoglobin-based solution (LaMuraglia et al). 2000;31:299-308
Blood vessel prosthesis
Arm vein conduit is superior to composite prosthetic-autogenous grafts in lower extremity revascularization (Faries et al). 2000;31:1119-27
Can knitting structure affect dilation of polyester bifurcated prostheses? A randomized study with the use of helical computed tomography scanning (Goëau-Brissonnière et al). 2000;31:157-63
Hand-assisted laparoscopic aortobifemoral bypass grafting (Arous et al). 2000;31:1142-8
Infrainguinal arterial reconstructions with vein grafts in patients with prior aortic procedures:the influence of aneurysm and occlusive disease (Upchurch et al). 2000; 31:1128-34
Local infusion of heparin reduces anastomotic neointimal hyperplasia in aortoiliac expanded polytetrafluoroethylene bypass grafts in baboons (Chen et al). 2000;31:354-63
Long-term results of arterial allograft below-knee bypass grafts for limb salvage:a retrospective multicenter study (Albertini et al). 2000;31:426-35
Mechanism of Dacron-activated monocytic cell oxidation of

low density lipoprotein (van Aalst et al). 2000;31:171-80
Regarding "Laparoscopic aortofemoral bypass grafting:human cadaveric and initial clinical experiences" (Barbera et al) (Letter); Said (Reply). 2000;31:412-14
Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery (Paty et al). 2000;31:253-9
Replacement of the inferior vena cava for malignancy: an update (Bower et al). 2000;31:270-81
Transarterial wall oxygen gradients at a prosthetic vascular graft to artery anastomosis in the rabbit (Santilli et al). 2000;31:1229-39
Utility and reliability of endovascular aortouniiliac with femorofemoral crossover graft for aortoiliac aneurysmal disease (Rehring et al). 2000;31:1135-41

Blood vessel prosthesis implantation
Adjunctive techniques to improve patency of distal prosthetic bypass grafts:polytetrafluoroethylene with remote arteriovenous fistulae versus vein cuffs (Kreienberg et al). 2000;31:696-701
Endovascular aneurysm repair in high-risk patients (Chuter et al). 2000;31:122-33
Endovascular repair of descending thoracic aortic aneurysms:an early experience with intermediate-term follow-up (Greenberg et al). 2000;31:147-56
Incidence and treatment of intraoperative technical problems during endovascular repair of complex abdominal aortic aneurysms (Kalliafas et al). 2000;31:1185-92
Interposition vein cuff anastomosis alters wall shear stress distribution in the recipient artery (How et al). 2000;31:1008-17
Prosthetic patch remnants to treat infected arterial grafts (Calligaro et al). 2000;31:245-52
Regarding "In situ replacement of infected aortic grafts with rifampicin-bonded prostheses:the Leicester experience (1992 to 1998)" (Calligaro) (Letter); (Hayes) (Reply). 2000;31:837-8
Successful percutaneous endovascular treatment of a ruptured popliteal artery aneurysm (Ihlberg et al). 2000;31:794-7 (Case rep.)
The use of arm vein in lower-extremity revascularization:results of 520 procedures performed in eight years (Faries et al). 2000;31:50-9
Vein interposition cuffs decrease intimal hyperplastic response of polytetrafluoroethylene bypass grafts (Kissin et al). 2000;31:69-83

Blood vessels
The dynamic regulation of blood vessel caliper (Brophy). 2000;31:391-5

Book reviews
Book reviews. 2000;31:204-6, 416, 628-30, 840-4, 1080-4, 1313-16

Brain, blood supply
The contribution of the external carotid artery to cerebral perfusion in carotid disease (Fearn et al). 2000;31:989-93

C

Capillary permeability
Intestinal permeability is increased in patients with intermittent claudication (Iwata et al). 2000;31:1003-7

Carotid arteries
Extracranial carotid aneurysms:a new look at an old problem (Hertzer). 2000;31:823-5
Extracranial carotid artery aneurysms: Texas Heart Institute experience (El-Sabrout and Cooley). 2000;31:702-12

Carotid artery, external
The contribution of the external carotid artery to cerebral perfusion in carotid disease (Fearn et al). 2000;31:989-93

Carotid artery, internal
Surgical treatment of extracranial internal carotid artery aneurysms (Rosset et al). 2000;31:713-23

Carotid artery diseases
Surgical treatment of 50 carotid dissections: indications and results (Müller et al). 2000;31:980-8
Use of ultrasound contrast in the diagnosis of carotid artery occlusion (Escribano Ferrer et al). 2000;31:736-41

Carotid body tumor
Baroreflex failure syndrome after bilateral excision of carotid body tumors: an underestimated problem (De Toma et al). 2000;31:806-10 (Case rep.)

Carotid endarterectomy; *see* Endarterectomy, carotid

Carotid stenosis
The contribution of the external carotid artery to cerebral perfusion in carotid disease (Fearn et al). 2000;31:989-93
Embolic risk of the different stages of carotid bifurcation balloon angioplasty: an experimental study (Coggia et al). 2000;31:550-7
Etiologic factors in progression of carotid stenosis: a 10-year study in 905 patients (Garvey et al). 2000;31:31-8
Eversion versus conventional carotid endarterectomy: late results of a prospective multicenter randomized trial (Cao et al). 2000;31:19-30
A fifteen-year experience with carotid endarterectomy after a formal operative protocol requiring highly frequent patch angioplasty (Archie). 2000;31:724-35
Hemispheric symptoms and carotid plaque echomorphology (Sabetai et al). 2000;31:39-49
High diastolic flow velocities in severe internal carotid artery stenosis:a sign of increased surgical risk? (Zachrisson et al). 2000;31:477-83
Is a single preoperative duplex scan sufficient for planning bilateral carotid endarterectomy? (Abou-Zamzam et al). 2000;31:282-8
Regarding "Randomized study of carotid angioplasty and stenting versus carotid endarterectomy: a stopped trial" (Hobson) (Letter);(Naylor and Bell) (Reply). 2000;31:622-4
Validation of flow convergence region method in the assessment of carotid artery stenoses during color-flow duplex studies (Schiavetta et al). 2000;31:484-9

Case reports
Case reports. 2000;31:190-9, 585-606, 790-818, 1033-59, 1240-4-1248-51

Celiac artery
Visceral aneurysms in Ehlers-Danlos syndrome: case report and review of the literature (Parfitt et al). 2000;31:1248-51 (Case rep.)

Cell division
Cellular repopulation of human vein allograft bypass grafts (Johnson et al). 2000;31:994-1002
Inducible nitric oxide synthase (iNOS) expression upregulates p21 and inhibits vascular smooth muscle cell proliferation through p42/44 mitogen-activated protein kinase activation and independent of p53 and cyclic guanosine monophosphate (Kibbe et al). 2000;31:1214-28
Mitogenicity and release of vascular endothelial growth factor with and without heparin from fibrin glue (Shireman and Greisler). 2000;31:936-43
The S130K fibroblast growth factor–1 mutant induces

heparin-independent proliferation and is resistant to thrombin degradation in fibrin glue (Shireman et al). 2000;31:382-90

Cell movement
The migratory response to platelet-derived growth factor of smooth muscle cells isolated from synthetic vascular grafts in a canine model (Minion et al). 2000;31:953-9

Cells, cultured
Adenoviral-mediated gene transfer of ICP47 inhibits major histocompatibility complex class I expression on vascular cells in vitro (Furukawa et al). 2000;31:558-66
Vascular smooth muscle cell effect on endothelial cell endothelin-1 production (Di Luozzo et al). 2000;31:781-9

Cerebral embolism and thrombosis
Immediate postoperative thrombolytic therapy: an aggressive strategy for neurologic salvage when cerebral thromboembolism complicates carotid endarterectomy (Perler et al). 2000;31:1033-7

Cerebrospinal fluid
Influence of segmental spinal cord perfusion on intrathecal oxygen tension during experimental thoracic aortic cross-clamping (Hellberg et al). 2000;31:164-70
Reversal of twice-delayed neurologic deficits with cerebrospinal fluid drainage after thoracoabdominal aneurysm repair:a case report and plea for a national database collection (Azizzadeh et al). 2000;31:592-8 (Case rep.)

Cerebrovascular disorders
Hemispheric symptoms and carotid plaque echomorphology (Sabetai et al). 2000;31:39-49
Regarding "A rational algorithm for duplex scan surveillance after carotid endarterectomy" (Golledge) (Letter); (Bandyk) (Reply). 2000;31:838-9

Certification
The Vascular Surgery Sub-board: progress report (Clagett et al). 2000;31:1060-5

Chemotaxis
Inhibition of phosphatidylinositol 3-kinase and protein kinase C attenuates extracellular matrix protein-induced vascular smooth muscle cell chemotaxis (Willis et al). 2000;31:1160-7

Clinical trials
Carotid endarterectomy:characterization of recent increases in procedure rates (Morasch et al). 2000;31:901-9

Clinical trials, randomized; *see* Randomized controlled trials

Conflict of interest
Failure to disclose competitive interests (Johnston and Rutherford). 2000;31:1306 (Editorial)
Potential problems with industry-supported clinical research (Rutherford and Johnston). 2000;31:1066-76 (Editorial)

Constriction, pathologic
Popliteal vein entrapment:a benign venographic feature or a pathologic entity? (Raju and Neglen). 2000;31:631-41

Coronary artery bypass
Repair of large abdominal aortic aneurysm should be performed early after coronary artery bypass surgery (Paty et al). 2000;31:253-9

Correspondence; *see* Letters

Cost-benefit analysis
Cost-effectiveness of surgery for small abdominal aortic aneurysms on the basis of data from the United Kingdom small aneurysm trial (Schermerhorn et al). 2000;31:217-26

Costs and cost analysis
Endovascular-assisted versus conventional in situ saphenous vein bypass grafting: cumulative patency, limb salvage, and cost results in a 39-month multicenter study (Rosenthal et al). 2000;31:60-8
Hospital cost of endovascular versus open repair of abdominal aortic aneurysms: a multicenter study (Sternbergh and Money). 2000;31:237-44

Cryopreservation
Changes in the cooling rate and medium improve the vascular function in cryopreserved porcine femoral arteries (Rigol et al). 2000;31:1018-25

Cysts
Regarding "Adventitial cystic disease: a unifying hypothesis" (Vanhoenacker et al) (Letter); (Levien) (Reply). 2000;31:621-2

Cytokines
The effect of growth factors, cytokines, and extracellular matrix proteins on fibronectin production in human vascular smooth muscle cells (Kaiura et al). 2000;31:577-84

Cytological techniques
Isolation of endothelial cells and their progenitor cells from human peripheral blood (Boyer et al). 2000;31:181-9

D

Dependovirus
Gene delivery to in situ veins: differential effects of adenovirus and adeno-associated viral vectors (Eslami et al). 2000;31:1149-59

Diagnosis
Factors affecting the diagnosis of peripheral vascular disease before vascular surgery referral (McLafferty et al). 2000;31:870-9

Doxycycline
Preoperative treatment with doxycycline reduces aortic wall expression and activation of matrix metalloproteinases in patients with abdominal aortic aneurysms (Curci et al). 2000;31:309-24

Duplex scan; *see* Ultrasound, Doppler, duplex

E

Echocardiography
Hemispheric symptoms and carotid plaque echomorphology (Sabetai et al). 2000;31:39-49

Echocardiography, Doppler
Validation of flow convergence region method in the assessment of carotid artery stenoses during color-flow duplex studies (Schiavetta et al). 2000;31:484-9

Editorials
Editorials. 2000;31:1066-76, 1306

Ehlers-Danlos syndrome
Visceral aneurysms in Ehlers-Danlos syndrome: case report and review of the literature (Parfitt et al). 2000;31:1248-51 (Case rep.)

Embolism
Embolic risk of the different stages of carotid bifurcation balloon angioplasty: an experimental study (Coggia et al). 2000;31:550-7
Peripheral arterial embolization: Doppler ultrasound scan diagnosis (Nicholls and Smith). 2000;31:811-14 (Case rep.)

Endarterectomy, carotid
Carotid endarterectomy: characterization of recent increases in procedure rates (Morasch et al). 2000;31:901-9
Carotid endarterectomy in octogenarians: comparison with patient characteristics and outcomes in younger patients (Schneider et al). 2000;31:927-35

Eversion versus conventional carotid endarterectomy: late results of a prospective multicenter randomized trial (Cao et al). 2000;31:19-30
Extracranial carotid artery aneurysms: Texas Heart Institute experience (El-Sabrout and Cooley). 2000;31:702-12
A fifteen-year experience with carotid endarterectomy after a formal operative protocol requiring highly frequent patch angioplasty (Archie). 2000;31:724-35
Gender and carotid endarterectomy:does it matter? (Akbari et al). 2000;31:1093-102, 1103-9
Immediate postoperative thrombolytic therapy:an aggressive strategy for neurologic salvage when cerebral thromboembolism complicates carotid endarterectomy (Perler et al). 2000;31:1033-7
Improving the outcomes of carotid endarterectomy: results of a statewide quality improvement project (Kresowik et al). 2000;31:918-26
Is a single preoperative duplex scan sufficient for planning bilateral carotid endarterectomy? (Abou-Zamzam et al). 2000;31:282-8
Minimally invasive approach for aortic arch branch vessel reconstruction (Sakopoulos et al). 2000;31:200-2 (Tech. note)
Peripheral arterial embolization:Doppler ultrasound scan diagnosis (Nicholls and Smith). 2000;31:811-14 (Case rep.)
Regarding "Randomized study of carotid angioplasty and stenting versus carotid endarterectomy:a stopped trial" (Hobson) (Letter); (Naylor and Bell) (Reply). 2000; 31:622-4
Regarding "A rational algorithm for duplex scan surveillance after carotid endarterectomy" (Golledge) (Letter); (Bandyk) (Reply). 2000;31:838-9
Surgical treatment of extracranial internal carotid artery aneurysms (Rosset et al). 2000;31:713-23

Endoleakage; *see* Postoperative complications

Endothelial growth factors
Mitogenicity and release of vascular endothelial growth factor with and without heparin from fibrin glue (Shireman and Greisler). 2000;31:936-43

Endothelins
Vascular smooth muscle cell effect on endothelial cell endothelin-1 production (Di Luozzo et al). 2000;31:781-9

Endothelium, vascular
The dynamic regulation of blood vessel caliper (Brophy). 2000;31:391-5
Isolation of endothelial cells and their progenitor cells from human peripheral blood (Boyer et al). 2000;31:181-9

Epidural space
Epidural cooling for spinal cord protection during thoracoabdominal aneurysm repair: a 5-year experience (Cambria et al). 2000;31:1093-102

Equipment design
Guidewire entrapment during deployment of the over-the-guidewire stainless steel Greenfield filter: a device design-related complication (Schanzer and Schanzer). 2000; 31:607-10 (Tech. note)

Ergotism
Chronic ergot toxicity:a rare cause of lower extremity ischemia (Garcia et al). 2000;31:1245-7 (Case rep.)

Ethics, medical
Failure to disclose competitive interests (Johnston and Rutherford). 2000;31:1306 (Editorial)
Potential problems with industry-supported clinical research (Rutherford and Johnston). 2000;31:1066-76 (Editorial)

Exercise
Effects of exercise rehabilitation on cardiovascular risk factors in older patients with peripheral arterial occlusive disease (Izquierdo-Porrera et al). 2000;31:670-7
Influence of upper-and lower-limb exercise training on cardiovascular function and walking distances in patients with intermittent claudication (Walker et al). 2000;31:662-9

Extracellular **matrix proteins**
The effect of growth factors, cytokines, and extracellular matrix proteins on fibronectin production in human vascular smooth muscle cells (Kaiura et al). 2000;31:577-84

F

Femoral artery
Changes in the cooling rate and medium improve the vascular function in cryopreserved porcine femoral arteries (Rigol et al). 2000;31:1018-25
Clinical failure after percutaneous transluminal angioplasty of the superficial femoral and popliteal arteries (Karch et al). 2000;31:880-8
Incidence of femoral and popliteal artery aneurysms in patients with abdominal aortic aneurysms (Diwan et al). 2000;31:863-9
Prosthetic above-knee femoropopliteal bypass grafting:five-year results of a randomized trial (Green et al). 2000; 31:417-25

Femoral vein
Lengthening the greater saphenous vein with the use of the lateral femoral cutaneous vein (Alameddine and Riester). 2000;31:819-20 (Tech. note)
Thrombolysis for experimental deep venous thrombosis maintains valvular competence and vasoreactivity (Rhodes et al). 2000;31:1193-205
Use of superficial femoral vein for hemodialysis arteriovenous access (Huber et al). 2000;31:1038-41

Fibrin tissue **adhesive**
Mitogenicity and release of vascular endothelial growth factor with and without heparin from fibrin glue (Shireman and Greisler). 2000;31:936-43

Fibroblast **growth factor, acidic**
The S130K fibroblast growth factor–1 mutant induces heparin-independent proliferation and is resistant to thrombin degradation in fibrin glue (Shireman et al). 2000;31:382-90

Fibroblast **growth factor, basic**
Adenoviral-mediated expression of antisense RNA to basic fibroblast growth factor reduces tangential stress in arterialized vein grafts (Hanna et al). 2000;31:770-80

Fibronectins
The effect of growth factors, cytokines, and extracellular matrix proteins on fibronectin production in human vascular smooth muscle cells (Kaiura et al). 2000;31:577-84

Fingers
Hypothenar hammer syndrome:proposed etiology (Ferris et al). 2000;31:104-13

Foot
Ambulatory venous pressure revisited (Neglen and Raju). 2000;31:1206-13
Dorsalis pedis artery aneurysm:case report and literature review (McKee and Fisher). 2000;31:589-91 (Case rep.)

Foot ulcer
Management of ischemic heel ulceration and gangrene: an evaluation of factors associated with successful healing (Treiman et al). 2000;31:1110-18

G

Gangrene
Management of ischemic heel ulceration and gangrene: an evaluation of factors associated with successful healing (Treiman et al). 2000;31:1110-18
Gender; *see* Sex factors
Gene expression regulation, viral
Adenoviral-mediated gene transfer of ICP47 inhibits major histocompatibility complex class I expression on vascular cells in vitro (Furukawa et al). 2000;31:558-66
Gene transfer
Gene delivery to in situ veins:differential effects of adenovirus and adeno-associated viral vectors (Eslami et al). 2000; 31:1149-59
Glycoproteins
Venous thrombosis prophylaxis by inflammatory inhibition without anticoagulation therapy (Wakefield et al). 2000;31:309-24
Growth substances
Activation of integrin receptors is required for growth factor-induced smooth muscle cell dysfunction (Mawatari). 2000;31:375-81
Guidelines; *see* Practice guidelines

H

HDL cholesterol; *see* Lipoproteins, HDL cholesterol
Health facility planning
A team for the 21st century:the vascular center (Whittemore). 2000;31:1-8
Heart function tests
Guidelines for perioperative cardiac evaluation from the American College of Cardiology/American Heart Association task force are effective for stratifying cardiac risk before aortic surgery (Samain et al). 2000;31:971-9
Heat-shock proteins
Cellular stress inhibits vascular muscle relaxation (Knoepp et al). 2000;31:343-53
Heel
Management of ischemic heel ulceration and gangrene: an evaluation of factors associated with successful healing (Treiman et al). 2000;31:1110-18
Hemodialysis
Changes in the practice of angioaccess surgery:impact of dialysis outcome and quality initiative recommendations (Ascher et al). 2000;31:84-92
Use of superficial femoral vein for hemodialysis arteriovenous access (Huber et al). 2000;31:1038-41
Hemodynamics
Effective hemodynamic diameter:an intrinsic property of vein grafts with predictive value for patency (Meyerson et al). 2000;31:910-17
An in vitro comparison of the hemodynamics of two inferior vena cava filters (Couch et al). 2000;31:539-49
Hemorheology
Hermorheologic variables in critical limb ischemia before and after infrainguinal reconstruction (Holmberg et al). 2000;31:691-5
Heparin
Local infusion of heparin reduces anastomotic neointimal hyperplasia in aortoiliac expanded polytetrafluoroethylene bypass grafts in baboons (Chen et al). 2000;31:354-63
Mitogenicity and release of vascular endothelial growth factor with and without heparin from fibrin glue (Shireman and Greisler). 2000;31:936-43
Histocompatibility antigens class I
Adenoviral-mediated gene transfer of ICP47 inhibits major histocompatibility complex class I expression on vascular cells in vitro (Furukawa et al). 2000;31:558-66
Homocysteine
The effect of elevated homocysteine levels on adrenergic vasoconstriction of human resistance arteries:the role of the endothelium and reactive oxygen species (Cipolla et al). 2000;31:751-9
Hospital charges
Hospital cost of endovascular versus open repair of abdominal aortic aneurysms:a multicenter study (Sternbergh and Money). 2000;31:237-44
Hydrostatic pressure
Venous outflow and inflow resistance in health and venous disease (Fronek et al). 2000;31:472-6
Hyperplasia
Local infusion of heparin reduces anastomotic neointimal hyperplasia in aortoiliac expanded polytetrafluoroethylene bypass grafts in baboons (Chen et al). 2000;31:354-63
Hypertension
Nitroglycerin to control blood pressure during endovascular stent-grafting of descending thoracic aortic aneurysms (Bernard et al). 2000;31:790-3 (Case rep.)
Hypothermia
Epidural cooling for spinal cord protection during thoracoabdominal aneurysm repair:a 5-year experience (Cambria et al). 2000;31:1093-102

I

Iliac aneurysm
Expansion rates and outcomes for iliac artery aneurysms (Santilli et al). 2000;31:114-21
Iliac artery
Comparing patency rates between external iliac and common iliac artery stents (Lee et al). 2000;31:889-94
The durability of endovascular treatment of multisegment iliac occlusive disease (Powell et al). 2000;31:1178-84
Regarding "Popliteal entrapment:more common than previously recognized" (Samson and Showalter) (Letter); (Levien and Veller) (Reply). 2000;31:1077-8
Utility and reliability of endovascular aortouniiliac with femorofemoral crossover graft for aortoiliac aneurysmal disease (Rehring et al). 2000;31:1135-41
Infection
Prosthetic patch remnants to treat infected arterial grafts (Calligaro et al). 2000;31:245-52
Insurance, health, reimbursement
The Balanced Budget Act:potential implications for the practice of vascular surgery (Roddy et al). 2000;31:227-36
Integrins
Activation of integrin receptors is required for growth factor-induced smooth muscle cell dysfunction (Mawatari). 2000;31:375-81

Intermittent claudication
Influence of upper-and lower-limb exercise training on cardiovascular function and walking distances in patients with intermittent claudication (Walker et al). 2000;31:662-9
Intestinal permeability is increased in patients with intermittent claudication (Iwata et al). 2000;31:1003-7
Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle (Pipinos et al). 2000,31:944-52
Interprofessional relations
Collaboration between vascular surgeons and interventional radiologists:reflections after two years (Green). 2000; 31:826-30
Intestines
Intestinal permeability is increased in patients with intermittent claudication (Iwata et al). 2000;31:1003-7
Ischemia
Chronic ergot toxicity:a rare cause of lower extremity ischemia (Garcia et al). 2000;31:1245-7 (Case rep.)
Epidural cooling for spinal cord protection during thoracoabdominal aneurysm repair: a 5-year experience (Cambria et al). 2000;31:1093-102
Hermorheologic variables in critical limb ischemia before and after infrainguinal reconstruction (Holmberg et al). 2000;31:691-5
Hypothenar hammer syndrome:proposed etiology (Ferris et al). 2000;31:104-13

J

Jugular veins
Internal jugular vein thrombosis in association with the ovarian hyperstimulation syndrome (Schanzer et al). 2000; 31:815-18 (Case rep.)

L

Laparoscopy
Hand-assisted laparoscopic aortobifemoral bypass grafting (Arous et al). 2000;31:1142-8
Leg
The anatomy of deep venous thrombosis of the lower extremity (Ouriel et al). 2000;31:895-900
Arm vein conduit is superior to composite prosthetic-autogenous grafts in lower extremity revascularization (Faries et al). 2000;31:1119-27
Chronic ergot toxicity:a rare cause of lower extremity ischemia (Garcia et al). 2000;31:1245-7 (Case rep.)
Functional status and walking ability after lower extremity bypass grafting or angioplasty for intermittent claudication: results from a prospective outcomes study (Feinglass et al). 2000;31:93-103
Long-term results of arterial allograft below-knee bypass grafts for limb salvage: a retrospective multicenter study (Albertini et al). 2000;31:426-35
Pneumatic limb compression: a free lunch? (Porter). 2000;31:821-2
Regarding "Popliteal entrapment:more common than previously recognized" (Samson and Showalter) (Letter); (Levien and Veller) (Reply). 2000;31:1077-8
The tourniquet revisited as an adjunct to lower limb revascularization (Ciervo et al). 2000;31:436-42
The use of arm vein in lower-extremity revascularization:results of 520 procedures performed in eight years (Faries et al). 2000;31:50-9
Leiomyomatosis
Intravenous leiomyomatosis with cardiac extension: tumor thrombectomy through an abdominal approach (Harris and Karakousis). 2000;31:1046-51
Letters
Letters. 2000;31:410-15, 621-7, 836-9, 1077-9
Lifeline research meeting abstracts
Lifeline research meeting abstracts. 2000;31:1252-305
Ligation
Retroperitoneal endoscopic ligation of lumbar and inferior mesenteric arteries as a treatment of persistent endoleak after endoluminal aortic aneurysm repair (Wisselink et al). 2000;31:1240-4 (Case rep.)
Lipoproteins, HDL cholesterol
Etiologic factors in progression of carotid stenosis: a 10-year study in 905 patients (Garvey et al). 2000;31:31-8
Lipoproteins, LDL
Mechanism of Dacron-activated monocytic cell oxidation of low density lipoprotein (van Aalst et al). 2000;31:171-80
Lithotripsy
Localized dissection and delayed rupture of the abdominal aorta after extracorporeal shock wave lithotripsy (Neri et al). 2000;31:1052-5
Lower extremity; *see* **Leg**
Lung transplantation
Abdominal aortic aneurysm after pulmonary transplantation:a case report (Lokanathan and Taylor). 2000;31:585-8 (Case rep.)

M

Magnetic resonance imaging
Postirradiation aortic sarcoma demonstrated by magnetic resonance angiography (Pollock et al). 2000;31:798-801 (Case rep.)
Mesenteric arteries
Retroperitoneal endoscopic ligation of lumbar and inferior mesenteric arteries as a treatment of persistent endoleak after endoluminal aortic aneurysm repair (Wisselink et al). 2000;31:1240-4 (Case rep.)
Metalloproteinases
Preoperative treatment with doxycycline reduces aortic wall expression and activation of matrix metalloproteinases in patients with abdominal aortic aneurysms (Curci et al). 2000;31:309-24
Methylene blue
Local photodynamic action of methylene blue favorably modulates the postinterventional vascular wound healing response (Heckenkamp et al). 2000;31:1168-77
Mitochondria, muscle
Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle (Pipinos et al). 2000;31:944-52
Models, biological
Wall stress distribution on three-dimensionally reconstructed models of human abdominal aortic aneurysm (Raghavan et al). 2000;31:760-9
Monocytes
Endotoxemia during supraceliac aortic crossclamping is associated with suppression of the monocyte CD14 mechanism:possible role of transforming growth factor-b1 (Hafez et al). 2000;31:520-31
Muscle, skeletal
Expression of myosin heavy chain isoforms in skeletal muscle (Steinaker et al). 2000;31:443-9

Regarding "Expression of myosin heavy chain isoforms in skeletal muscle" (Hiatt). 2000;31:611-12
Regarding "Photoplethysmography and calf muscle function after subfascial endoscopic perforator ligation" (Recek) (Letter); (Illig et al) (Reply). 2000;31:1078-9

Muscle, smooth, vascular
Activation of integrin receptors is required for growth factor-induced smooth muscle cell dysfunction (Mawatari). 2000;31:375-81
The dynamic regulation of blood vessel caliper (Brophy). 2000;31:391-5
The effect of growth factors, cytokines, and extracellular matrix proteins on fibronectin production in human vascular smooth muscle cells (Kaiura et al). 2000;31:577-84
Inducible nitric oxide synthase (iNOS) expression upregulates p21 and inhibits vascular smooth muscle cell proliferation through p42/44 mitogen-activated protein kinase activation and independent of p53 and cyclic guanosine monophosphate (Kibbe et al). 2000;31:1214-28
Inhibition of phosphatidylinositol 3-kinase and protein kinase C attenuates extracellular matrix protein-induced vascular smooth muscle cell chemotaxis (Willis et al). 2000;31:1160-7
The migratory response to platelet-derived growth factor of smooth muscle cells isolated from synthetic vascular grafts in a canine model (Minion et al). 2000;31:953-9
Nitric oxide prevents p21 degradation in the ubiquitin-proteasome pathway in vascular smooth muscle cells (Kibbe et al). 2000;31:364-74
Vascular smooth muscle cell apoptosis in aneurysmal, occlusive, and normal human aortas (Rowe et al). 2000;31:567-76
Vascular smooth muscle cell effect on endothelial cell endothelin-1 production (Di Luozzo et al). 2000;31:781-9

Muscle relaxation
Cellular stress inhibits vascular muscle relaxation (Knoepp et al). 2000;31:343-53

Myocardial ischemia
Myocardial injury in major aortic surgery (Hafez et al). 2000;31:742-50

Myosin subfragments
Expression of myosin heavy chain isoforms in skeletal muscle (Steinaker et al). 2000;31:443-9
Regarding "Expression of myosin heavy chain isoforms in skeletal muscle" (Hiatt). 2000;31:611-12

N

Neoplasms, radiation-induced
Postirradiation aortic sarcoma demonstrated by magnetic resonance angiography (Pollock et al). 2000;31:798-801 (Case rep.)

Neoplasms, vascular tissue
Replacement of the inferior vena cava for malignancy: an update (Bower et al). 2000;31:270-81

Neovascularization
Lifeline research meeting abstracts. 2000;31:1252-305

Nitric oxide
Nitric oxide prevents p21 degradation in the ubiquitin-proteasome pathway in vascular smooth muscle cells (Kibbe et al). 2000;31:364-74

Nitric oxide synthase
Inducible nitric oxide synthase (iNOS) expression upregulates p21 and inhibits vascular smooth muscle cell proliferation through p42/44 mitogen-activated protein kinase activation and independent of p53 and cyclic guanosine monophosphate (Kibbe et al). 2000;31:1214-28

Nitroglycerin
Nitroglycerin to control blood pressure during endovascular stent-grafting of descending thoracic aortic aneurysms (Bernard et al). 2000;31:790-3 (Case rep.)

Nuclear magnetic resonance
Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle (Pipinos et al). 2000;31:944-52

O

Organ procurement
Superficial femoral popliteal vein:an anatomic study (Santilli et al). 2000;31:450-5

Organization and administration
"These united colonies are . . ." (Bredenberg). 2000;31:1085-92

Osteochondroma
Vascular complications of osteochondromas (Vasseur and Fabre). 2000;31:532-8

Outcome assessment
Venous severity scoring:an adjunct to venous outcome assessment (Rutherford et al). 2000;31:1307-12

Ovarian hyperstimulation syndrome
Internal jugular vein thrombosis in association with the ovarian hyperstimulation syndrome (Schanzer et al). 2000;31:815-18 (Case rep.)

Oxidation-reduction
Mechanism of Dacron-activated monocytic cell oxidation of low density lipoprotein (van Aalst et al). 2000;31:171-80

Oxygen
Influence of segmental spinal cord perfusion on intrathecal oxygen tension during experimental thoracic aortic cross-clamping (Hellberg et al). 2000;31:164-70
Transarterial wall oxygen gradients at a prosthetic vascular graft to artery anastomosis in the rabbit (Santilli et al). 2000;31:1229-39

P

Pancreatitis
Aortic pseudoaneurysm secondary to pancreatitis (Giles and Pevec). 2000;31:1056-9

Paraplegia
Delayed onset of ascending paralysis after thoracic aortic stent graft deployment (Kasirajan et al). 2000;31:196-9 (Case rep.)

Patient care team
A team for the 21st century: the vascular center (Whittemore). 2000;31:1-8

Peripheral vascular diseases
Factors affecting the diagnosis of peripheral vascular disease before vascular surgery referral (McLafferty et al). 2000;31:870-9
Improving walking ability and ankle brachial pressure indices in symptomatic peripheral vascular disease with intermittent pneumatic foot compression:a prospective controlled study with one-year follow-up (Delis et al). 2000;31:650-61
Management of peripheral arterial disease (PAD) (TransAtlantic Inter-Society Consensus [TASC] Working Group. 2000;31:S1-S296
Peripheral arterial embolization:Doppler ultrasound scan diagnosis (Nicholls and Smith). 2000;31:811-14 (Case rep.)

Phlebography
The anatomy of deep venous thrombosis of the lower extremity (Ouriel et al). 2000;31:895-900
1-Phosphatidylinositol 3-kinase
Inhibition of phosphatidylinositol 3-kinase and protein kinase C attenuates extracellular matrix protein-induced vascular smooth muscle cell chemotaxis (Willis et al). 2000; 31:1160-7
Phosphorus isotopes
Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle (Pipinos et al). 2000;31:944-52
Photochemotherapy
Local photodynamic action of methylene blue favorably modulates the postinterventional vascular wound healing response (Heckenkamp et al). 2000;31:1168-77
Photoplethysmography
Regarding "Photoplethysmography and calf muscle function after subfascial endoscopic perforator ligation" (Recek) (Letter); (Illig et al) (Reply). 2000;31:1078-9
Venous outflow and inflow resistance in health and venous disease (Fronek et al). 2000;31:472-6
Plasminogen activator inhibitor 1
Association of the 4g/5g polymorphism in the promoter region of plasminogen activator inhibitor-1 with abdominal aortic aneurysms (Rossaak et al). 2000;31:1026-32
Platelet-derived growth factor
The migratory response to platelet-derived growth factor of smooth muscle cells isolated from synthetic vascular grafts in a canine model (Minion et al). 2000;31:953-9
Plethysmography, impedance
Venous outflow and inflow resistance in health and venous disease (Fronek et al). 2000;31:472-6
Polymorphism (genetics)
Association of the 4g/5g polymorphism in the promoter region of plasminogen activator inhibitor-1 with abdominal aortic aneurysms (Rossaak et al). 2000;31:1026-32
Polytetrafluoroethylene
Adjunctive techniques to improve patency of distal prosthetic bypass grafts: polytetrafluoroethylene with remote arteriovenous fistulae versus vein cuffs (Kreienberg et al). 2000;31:696-701
Vein interposition cuffs decrease intimal hyperplastic response of polytetrafluoroethylene bypass grafts (Kissin et al). 2000;31:69-83
Popliteal artery
Clinical failure after percutaneous transluminal angioplasty of the superficial femoral and popliteal arteries (Karch et al). 2000;31:880-8
Incidence of femoral and popliteal artery aneurysms in patients with abdominal aortic aneurysms (Diwan et al). 2000;31:863-9
Prosthetic above-knee femoropopliteal bypass grafting: five-year results of a randomized trial (Green et al). 2000;31:417-25
Regarding "Adventitial cystic disease:a unifying hypothesis" (Vanhoenacker et al) (Letter); (Levien) (Reply). 2000; 31:621-2
Regarding "Popliteal entrapment:more common than previously recognized" (Samson and Showalter) (Letter); (Levien and Veller) (Reply). 2000;31:1077-8
Regarding "Spontaneous popliteal artery dissection:a case report and review of the literature" (Erdoes). 2000; 31:414 (Letter)
Successful percutaneous endovascular treatment of a ruptured popliteal artery aneurysm (Ihlberg et al). 2000;31:794-7 (Case rep.)
Popliteal vein
Popliteal vein entrapment:a benign venographic feature or a pathologic entity? (Raju and Neglen). 2000;31:631-41
Superficial femoral popliteal vein: an anatomic study (Santilli et al). 2000;31:450-5
Postoperative complications
Aneurysm rupture after endovascular repair using the AneuRx stent graft (Zarins et al). 2000;31:960-70
Aortic-origin reconstruction of the great vessels:risk factors of early and late complications (Rhodes). 2000;31:260-9
Aortoduodenal fistula after endovascular stent-graft of an abdominal aortic aneurysm (d'Othée et al). 2000;31:190-5 (Case rep.)
Baroreflex failure syndrome after bilateral excision of carotid body tumors: an underestimated problem (De Toma et al). 2000;31:806-10 (Case rep.)
A clinical perspective on the management of endoleaks after abdominal aortic endovascular aneurysm repair (Greenberg and Green). 2000;31:836-7 (Letter)
Delayed onset of ascending paralysis after thoracic aortic stent graft deployment (Kasirajan et al). 2000;31:196-9 (Case rep.)
Early complications and endoleaks after endovascular abdominal aortic aneurysm repair: report of a multicenter study (Buth et al). 2000;31:134-46
Endovascular repair of descending thoracic aortic aneurysms: an early experience with intermediate-term follow-up (Greenberg et al). 2000;31:147-56
Incidence and treatment of intraoperative technical problems during endovascular repair of complex abdominal aortic aneurysms (Kalliafas et al). 2000;31:1185-92
Late abdominal aortic aneurysm rupture after AneuRx repair: a report of three cases (Politz et al). 2000;31:599-606 (Case rep.)
Localized dissection and delayed rupture of the abdominal aorta after extracorporeal shock wave lithotripsy (Neri et al). 2000;31:1052-5
Prosthetic patch remnants to treat infected arterial grafts (Calligaro et al). 2000;31:245-52
Retroperitoneal endoscopic ligation of lumbar and inferior mesenteric arteries as a treatment of persistent endoleak after endoluminal aortic aneurysm repair (Wisselink et al). 2000;31:1240-4 (Case rep.)
Reversal of twice-delayed neurologic deficits with cerebrospinal fluid drainage after thoracoabdominal aneurysm repair:a case report and plea for a national database collection (Azizzadeh et al). 2000;31:592-8 (Case rep.)
Practice guidelines
Guidelines for perioperative cardiac evaluation from the American College of Cardiology/American Heart Association task force are effective for stratifying cardiac risk before aortic surgery (Samain et al). 2000;31:971-9
Pressure
Improving walking ability and ankle brachial pressure indices in symptomatic peripheral vascular disease with intermittent pneumatic foot compression:a prospective controlled study with one-year follow-up (Delis et al). 2000;31:650-61
Pneumatic limb compression:a free lunch? (Porter). 2000; 31:821-2
Professional competence
The discipline of vascular surgery at the close of the millennium, the American Board of Surgery Sub-board for Vascular

surgery, and the wisdom of evolving a conjoint board of vascular surgery:one surgeon's perspective (Stanley). 2000;31:831-5

Professional practice
Challenge to our specialty:the vascular surgeon in the year 2010 (Sicard). 2000;31:845-50
Time for the future of vascular surgery (Zarins). 2000;31:207-16

Progenitor cells; *see* Stem cells

Prognosis
Expansion rates and outcomes for iliac artery aneurysms (Santilli et al). 2000;31:114-21

Prospective studies
Expansion rates and outcomes for iliac artery aneurysms (Santilli et al). 2000;31:114-21
Measuring the quality of life in patients with venous ulcers (*see* Smith et al). 2000;31:642-9

Protein kinase C
Inhibition of phosphatidylinositol 3-kinase and protein kinase C attenuates extracellular matrix protein-induced vascular smooth muscle cell chemotaxis (Willis et al). 2000;31:1160-7

Proto-oncogene protein p21
Inducible nitric oxide synthase (iNOS) expression upregulates p21 and inhibits vascular smooth muscle cell proliferation through p42/44 mitogen-activated protein kinase activation and independent of p53 and cyclic guanosine monophosphate (Kibbe et al). 2000;31:1214-28
Nitric oxide prevents p21 degradation in the ubiquitin-proteasome pathway in vascular smooth muscle cells (Kibbe et al). 2000;31:364-74

Pseudoaneurysm; *see* Aneurysm, false

Pulse
Etiologic factors in progression of carotid stenosis:a 10-year study in 905 patients (Garvey et al). 2000;31:31-8

Pulseless disease
A surgically treated case of Takayasu's arteritis complicated by aortic dissections localized in the ascending and abdominal aortae (Ando et al). 2000;31:1042-5

Q

Quality of health care
Improving the outcomes of carotid endarterectomy: results of a statewide quality improvement project (Kresowik et al). 2000;31:918-26

Quality of life
Measuring the quality of life in patients with venous ulcers (*see* Smith et al). 2000;31:642-9

Questionnaires
Measuring the quality of life in patients with venous ulcers (*see* Smith et al). 2000;31:642-9

R

Radiology, interventional
Collaboration between vascular surgeons and interventional radiologists:reflections after two years (Green). 2000;31:826-30

Randomized controlled trials
Eversion versus conventional carotid endarterectomy:late results of a prospective multicenter randomized trial (Cao et al). 2000;31:19-30

Rate setting and review
The Balanced Budget Act:potential implications for the practice of vascular surgery (Roddy et al). 2000;31:227-36

Reactive oxygen species
The effect of elevated homocysteine levels on adrenergic vasoconstriction of human resistance arteries:the role of the endothelium and reactive oxygen species (Cipolla et al). 2000;31:751-9

Receptors, leukocyte-adhesion
Effect of oral micronized purified flavonoid fraction treatment on leukocyte adhesion molecule expression in patients with chronic venous disease:a pilot study (Shoab et al). 2000;31:456-61

Receptors, tumor necrosis factor
Elevated levels of soluble tumor necrosis factor receptors are associated with increased mortality rates in patients who undergo operation for ruptured abdominal aortic aneurysm (Adam et al). 2000;31:514-19

Referral and consultation
Factors affecting the diagnosis of peripheral vascular disease before vascular surgery referral (McLafferty et al). 2000;31:870-9

Reimbursement mechanisms
Time for the future of vascular surgery (Zarins). 2000;31:207-16

Renal artery
Endovascular aneurysm repair in high-risk patients (Chuter et al). 2000;31:122-33

Renal artery obstruction
Regarding "Chronic renal artery occlusion:nephrectomy versus revascularization" (Nghiem) (Letter); (Hansen and Oskin) (Reply). 2000;31:411-12

Renal veins
Abdominal aortic aneurysm with aorta-left renal vein fistula with left varicocele (Meyerson et al). 2000;31:802-5 (Case rep.)

Reperfusion injury
Myocardial injury in major aortic surgery (Hafez et al). 2000;31:742-50

Research support
Potential problems with industry-supported clinical research (Rutherford and Johnston). 2000;31:1066-76 (Editorial)

Revascularization
Lengthening the greater saphenous vein with the use of the lateral femoral cutaneous vein (Alameddine and Riester). 2000;31:819-20 (Tech. note)
Regarding "Chronic renal artery occlusion:nephrectomy versus revascularization" (Nghiem) (Letter); (Hansen and Oskin) (Reply). 2000;31:411-12
The tourniquet revisited as an adjunct to lower limb revascularization (Ciervo et al). 2000;31:436-42

Rheology
An in vitro comparison of the hemodynamics of two inferior vena cava filters (Couch et al). 2000;31:539-49
Validation of flow convergence region method in the assessment of carotid artery stenoses during color-flow duplex studies (Schiavetta et al). 2000;31:484-9

Rifampin
Regarding "In situ replacement of infected aortic grafts with rifampicin-bonded prostheses:the Leicester experience (1992 to 1998)" (Calligaro) (Letter); (Hayes) (Reply). 2000;31:837-8

Risk factors
Aortic-origin reconstruction of the great vessels:risk factors of early and late complications (Rhodes). 2000;31:260-9

Early complications and endoleaks after endovascular abdominal aortic aneurysm repair:report of a multicenter study (Buth et al). 2000;31:134-46
Effects of exercise rehabilitation on cardiovascular risk factors in older patients with peripheral arterial occlusive disease (Izquierdo-Porrera et al). 2000;31:670-7
Gender and carotid endarterectomy:does it matter? (Akbari et al). 2000;31:1103-9
Guidelines for perioperative cardiac evaluation from the American College of Cardiology/American Heart Association task force are effective for stratifying cardiac risk before aortic surgery (Samain et al). 2000;31:971-9
High diastolic flow velocities in severe internal carotid artery stenosis: a sign of increased surgical risk? (Zachrisson et al). 2000;31:477-83

RNA, antisense
Adenoviral-mediated expression of antisense RNA to basic fibroblast growth factor reduces tangential stress in arterialized vein grafts (Hanna et al). 2000;31:770-80

Rupture, spontaneous
Regarding "Spontaneous popliteal artery dissection: a case report and review of the literature" (Erdoes). 2000;31:414 (Letter)

S

Saphenous vein
Ambulatory venous pressure revisited (Neglen and Raju). 2000;31:1206-13
Cellular repopulation of human vein allograft bypass grafts (Johnson et al). 2000;31:994-1002
Endovascular-assisted versus conventional in situ saphenous vein bypass grafting:cumulative patency, limb salvage, and cost results in a 39-month multicenter study (Rosenthal et al). 2000;31:60-8
Hermorheologic variables in critical limb ischemia before and after infrainguinal reconstruction (Holmberg et al). 2000;31:691-5
Intraoperative duplex monitoring of infrainguinal vein bypass procedures (Johnson et al). 2000;31:678-90
Lengthening the greater saphenous vein with the use of the lateral femoral cutaneous vein (Alameddine and Riester). 2000;31:819-20 (Tech. note)
Regarding "Photoplethysmography and calf muscle function after subfascial endoscopic perforator ligation" (Recek) (Letter); (Illig et al) (Reply). 2000;31:1078-9

Sarcoma
Postirradiation aortic sarcoma demonstrated by magnetic resonance angiography (Pollock et al). 2000;31:798-801 (Case rep.)

Severity of illness index
Venous severity scoring:an adjunct to venous outcome assessment (Rutherford et al). 2000;31:1307-12

Sex factors
Gender and carotid endarterectomy: does it matter? (Akbari et al). 2000;31:1103-9

Special communications
Lifeline research meeting abstracts. 2000;31:1252-305

Specialty boards
The discipline of vascular surgery at the close of the millennium, the American Board of Surgery Sub-board for Vascular surgery, and the wisdom of evolving a conjoint board of vascular surgery:one surgeon's perspective (Stanley). 2000; 31:831-5
The Vascular Surgery Sub-board: progress report (Clagett et al). 2000;31:1060-5

Spinal cord
Influence of segmental spinal cord perfusion on intrathecal oxygen tension during experimental thoracic aortic cross-clamping (Hellberg et al). 2000;31:164-70

Stents
Aneurysm rupture after endovascular repair using the AneuRx stent graft (Zarins et al). 2000;31:960-70
Comparing patency rates between external iliac and common iliac artery stents (Lee et al). 2000;31:889-94
The durability of endovascular treatment of multisegment iliac occlusive disease (Powell et al). 2000;31:1178-84
Incidence and treatment of intraoperative technical problems during endovascular repair of complex abdominal aortic aneurysms (Kalliafas et al). 2000;31:1185-92
Nitroglycerin to control blood pressure during endovascular stent-grafting of descending thoracic aortic aneurysms (Bernard et al). 2000;31:790-3 (Case rep.)
Regarding "The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta" (Murgo and Golzarian) (Letter);(Brittenden) (Reply). 2000;31:1078
Utility and reliability of endovascular aortouniiliac with femorofemoral crossover graft for aortoiliac aneurysmal disease (Rehring et al). 2000;31:1135-41

Stress
Cellular stress inhibits vascular muscle relaxation (Knoepp et al). 2000;31:343-53

Stress, mechanical
Interposition vein cuff anastomosis alters wall shear stress distribution in the recipient artery (How et al). 2000;31:1008-17
Wall stress distribution on three-dimensionally reconstructed models of human abdominal aortic aneurysm (Raghavan et al). 2000;31:760-9

Stroke; *see* **Cerebrovascular disorders**

Surgery department, **hospital**
A team for the 21st century: the vascular center (Whittemore). 2000;31:1-8

Surgical mesh
Can knitting structure affect dilation of polyester bifurcated prostheses? A randomized study with the use of helical computed tomography scanning (Goëau-Brissonnière et al). 2000;31:157-63

Surgical procedures, **laparoscopic**
Regarding "Laparoscopic aortofemoral bypass grafting: human cadaveric and initial clinical experiences" (Barbera et al) (Letter); Said (Reply). 2000;31:412-14

Survival rate
Cost-effectiveness of surgery for small abdominal aortic aneurysms on the basis of data from the United Kingdom small aneurysm trial (Schermerhorn et al). 2000;31:217-26
Surgical repair of aneurysms involving the suprarenal, visceral, and lower thoracic aortic segments: early results and late outcome (Martin et al). 2000;31:851-62

Suture techniques
Regarding "Anastomotic tissue response associated with expanded polytetrafluoroethylene access grafts constructed by using nonpenetrating clips" (Dimakakos and Kotsis). 2000;31:626-7 (Letter)

T

Technical notes
Technical notes. 2000;31:200-2, 607-10, 819-20

Thoracoscopy
Regarding "Descending thoracic aorta to iliofemoral artery bypass grafting:a role for primary revascularization of aortoiliac occlusive disease?" (Kolvenbach) (Letter); (Passman and Keagy) (Reply). 2000;31:410-11

Thrombectomy
Intravenous leiomyomatosis with cardiac extension:tumor thrombectomy through an abdominal approach (Harris and Karakousis). 2000;31:1046-51

Thrombin
Expanded indications for ultrasound-guided thrombin injections of pseudoaneurysms (Kang et al). 2000;31:289-98
The S130K fibroblast growth factor–1 mutant induces heparinindependent proliferation and is resistant to thrombin degradation in fibrin glue (Shireman et al). 2000;31:382-90

Thrombolytic therapy
Immediate postoperative thrombolytic therapy:an aggressive strategy for neurologic salvage when cerebral thromboembolism complicates carotid endarterectomy (Perler et al). 2000;31:1033-7
Thrombolysis for experimental deep venous thrombosis maintains valvular competence and vasoreactivity (Rhodes et al). 2000;31:1193-205
Treatment options for venous thrombosis (Wakefield). 2000; 31:613-20

Thrombophlebitis
The anatomy of deep venous thrombosis of the lower extremity (Ouriel et al). 2000;31:895-900
The caput medusae of hypercoagulability (Silver and Vouyouka). 2000;31:396-405
Internal jugular vein thrombosis in association with the ovarian hyperstimulation syndrome (Schanzer et al). 2000; 31:815-18 (Case rep.)
Thrombolysis for experimental deep venous thrombosis maintains valvular competence and vasoreactivity (Rhodes et al). 2000;31:1193-205
Treatment options for venous thrombosis (Wakefield). 2000;31:613-20
Venous thrombosis prophylaxis by inflammatory inhibition without anticoagulation therapy (Wakefield et al). 2000; 31:309-24

Thrombosis
Thrombus within an aortic aneurysm does not reduce pressure on the aneurysmal wall (Schurink et at). 2000; 31:501-6

Tibial arteries
Dorsalis pedis artery aneurysm:case report and literature review (McKee and Fisher). 2000;31:589-91 (Case rep.)

Tissue transplantation
Endovascular-assisted versus conventional in situ saphenous vein bypass grafting:cumulative patency, limb salvage, and cost results in a 39-month multicenter study (Rosenthal et al). 2000;31:60-8

Tomography, x-ray computed
Can knitting structure affect dilation of polyester bifurcated prostheses? A randomized study with the use of helical computed tomography scanning (Goëau-Brissonnière et al). 2000;31:157-63

Tourniquets
The tourniquet revisited as an adjunct to lower limb revascularization (Ciervo et al). 2000;31:436-42

Transforming growth factor beta
Endotoxemia during supraceliac aortic crossclamping is associated with suppression of the monocyte CD14 mechanism: possible role of transforming growth factor-b1 (Hafez et al). 2000;31:520-31

Transplantation, homologous
Cellular repopulation of human vein allograft bypass grafts (Johnson et al). 2000;31:994-1002
Long-term results of arterial allograft below-knee bypass grafts for limb salvage: a retrospective multicenter study (Albertini et al). 2000;31:426-35
Regarding "In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava" (Del Campo) (Letter); (Ting et al) (Reply). 2000;31:624-6

Treatment outcome
Carotid endarterectomy in octogenarians: comparison with patient characteristics and outcomes in younger patients (Schneider et al). 2000;31:927-35
Changes in the practice of angioaccess surgery: impact of dialysis outcome and quality initiative recommendations (Ascher et al). 2000;31:84-92
Functional status and walking ability after lower extremity bypass grafting or angioplasty for intermittent claudication: results from a prospective outcomes study (Feinglass et al). 2000;31:93-103
Improving the outcomes of carotid endarterectomy:results of a statewide quality improvement project (Kresowik et al). 2000;31:918-26
Surgical reconstruction of the extracranial vertebral artery: management and outcome (Berguer et al). 2000; 31:9-18
Surgical repair of aneurysms involving the suprarenal, visceral, and lower thoracic aortic segments:early results and late outcome (Martin et al). 2000;31:851-62

U

Ulcer
Regarding "The use of endovascular stents in the treatment of penetrating ulcers of the thoracic aorta" (Murgo and Golzarian) (Letter); (Brittenden) (Reply). 2000;31: 1078

Ultrasonography
Ultrasonic measurement of abdominal aortic aneurysm wall compliance:a reproducibility study (Wilson et al). 2000; 31:507-13
Use of ultrasound contrast in the diagnosis of carotid artery occlusion (Escribano Ferrer et al. 2000;31:736-41

Ultrasonography, transcranial Doppler
Peripheral arterial embolization:Doppler ultrasound scan diagnosis (Nicholls and Smith). 2000;31:811-14 (Case rep.)

Ultrasound, Doppler, duplex
Expanded indications for ultrasound-guided thrombin injections of pseudoaneurysms (Kang et al). 2000;31:289-98
Intraoperative duplex monitoring of infrainguinal vein bypass procedures (Johnson et al). 2000;31:678-90
Is a single preoperative duplex scan sufficient for planning bilateral carotid endarterectomy? (Abou-Zamzam et al). 2000;31:282-8
Regarding "A rational algorithm for duplex scan surveillance

after carotid endarterectomy" (Golledge) (Letter); (Bandyk) (Reply). 2000;31:838-9

V

Varicose ulcer
Measuring the quality of life in patients with venous ulcers (*see* Smith et al). 2000;31:642-9
Vascular diseases
Effect of oral micronized purified flavonoid fraction treatment on leukocyte adhesion molecule expression in patients with chronic venous disease:a pilot study (Shoab et al). 2000;31:456-61
Vascular complications of osteochondromas (Vasseur and Fabre). 2000;31:532-8
Vascular diseases, congenital
Prevalence of deep venous anomalies in congenital vascular malformations of venous predominance (Eifert et al). 2000;31:462-71
Vascular patency
Adjunctive techniques to improve patency of distal prosthetic bypass grafts:polytetrafluoroethylene with remote arteriovenous fistulae versus vein cuffs (Kreienberg et al). 2000;31:696-701
Arm vein conduit is superior to composite prosthetic-autogenous grafts in lower extremity revascularization (Faries et al). 2000;31:1119-27
Comparing patency rates between external iliac and common iliac artery stents (Lee et al). 2000;31:889-94
Effective hemodynamic diameter:an intrinsic property of vein grafts with predictive value for patency (Meyerson et al). 2000;31:910-17
Infrainguinal arterial reconstructions with vein grafts in patients with prior aortic procedures: the influence of aneurysm and occlusive disease (Upchurch et al). 2000;31:1128-34
Interposition vein cuff anastomosis alters wall shear stress distribution in the recipient artery (How et al). 2000;31:1008-17
Vascular resistance
Venous outflow and inflow resistance in health and venous disease (Fronek et al). 2000;31:472-6
Vascular surgery
The Balanced Budget Act:potential implications for the practice of vascular surgery (Roddy et al). 2000;31:227-36
Carotid endarterectomy:characterization of recent increases in procedure rates (Morasch et al). 2000;31:901-9
Challenge to our specialty:the vascular surgeon in the year 2010 (Sicard). 2000;31:845-50
Collaboration between vascular surgeons and interventional radiologists: reflections after two years (Green). 2000;31:826-30
The discipline of vascular surgery at the close of the millennium, the American Board of Surgery Sub-board for Vascular surgery, and the wisdom of evolving a conjoint board of vascular surgery:one surgeon's perspective (Stanley). 2000;31:831-5
The distinguished service award medal for the Society of Vascular Surgery, 1999: Michael Ellis deBakey, MD (McCollum). 2000;31:396-405
Popliteal vein entrapment:a benign venographic feature or a pathologic entity? (Raju and Neglen). 2000;31:631-41
Surgical treatment of 50 carotid dissections:indications and results (Müller et al). 2000;31:980-8
Time for the future of vascular surgery (Zarins). 2000;31:207-16
The Vascular Surgery Sub-board:progress report (Clagett et al). 2000;31:1060-5
Vascular surgical procedures
Influence of segmental spinal cord perfusion on intrathecal oxygen tension during experimental thoracic aortic cross-clamping (Hellberg et al). 2000;31:164-70
Minimally invasive approach for aortic arch branch vessel reconstruction (Sakopoulos et al). 2000;31:200-2 (Tech. note)
Surgical reconstruction of the extracranial vertebral artery:management and outcome (Berguer et al). 2000;31:9-18
Vein interposition cuffs decrease intimal hyperplastic response of polytetrafluoroethylene bypass grafts (Kissin et al). 2000;31:69-83
Vasoconstriction
The effect of elevated homocysteine levels on adrenergic vasoconstriction of human resistance arteries: the role of the endothelium and reactive oxygen species (Cipolla et al). 2000;31:751-9
Veins
Adenoviral-mediated expression of antisense RNA to basic fibroblast growth factor reduces tangential stress in arterialized vein grafts (Hanna et al). 2000;31:770-80
The use of arm vein in lower-extremity revascularization:results of 520 procedures performed in eight years (Faries et al). 2000;31:50-9
Vena cava, inferior
Intravenous leiomyomatosis with cardiac extension:tumor thrombectomy through an abdominal approach (Harris and Karakousis). 2000;31:1046-51
Regarding "In situ replacement of the aorta in a contaminated field with the infrarenal inferior vena cava" (Del Campo) (Letter); (Ting et al) (Reply). 2000;31:624-6
Replacement of the inferior vena cava for malignancy: an update (Bower et al). 2000;31:270-81
Vena cava filters
Guidewire entrapment during deployment of the over-the-guidewire stainless steel Greenfield filter:a device design-related complication (Schanzer and Schanzer). 2000;31:607-10 (Tech. note)
An in vitro comparison of the hemodynamics of two inferior vena cava filters (Couch et al). 2000;31:539-49
Venography; *see* Phlebography
Venous insufficiency
Venous severity scoring:an adjunct to venous outcome assessment (Rutherford et al). 2000;31:1307-12
Venous pressure
Ambulatory venous pressure revisited (Neglen and Raju). 2000;31:1206-13
Venous thrombosis; *see* Thrombophlebitis
Venous ulcer
see Varicose ulcer
Vertebral artery
Surgical reconstruction of the extracranial vertebral artery: management and outcome (Berguer et al). 2000;31:9-18

W

Walking
Functional status and walking ability after lower extremity

bypass grafting or angioplasty for intermittent claudication:results from a prospective outcomes study (Feinglass et al). 2000;31:93-103

Improving walking ability and ankle brachial pressure indices in symptomatic peripheral vascular disease with intermittent pneumatic foot compression: a prospective controlled study with one-year follow-up (Delis et al). 2000;31:650-61

Influence of upper-and lower-limb exercise training on cardiovascular function and walking distances in patients with intermittent claudication (Walker et al). 2000;31:662-9

Wound healing

Local photodynamic action of methylene blue favorably modulates the postinterventional vascular wound healing response (Heckenkamp et al). 2000;31:1168-77